

IMPROVED TWO-PHASE SOLUTION STRATEGY FOR MULTIOBJECTIVE  
FUZZY STOCHASTIC LINEAR PROGRAMMING PROBLEMS WITH  
UNCERTAIN PROBABILITY DISTRIBUTION

ABDULQADER OTHMAN HAMAD AMEEN

UNIVERSITI TEKNOLOGI MALAYSIA

IMPROVED TWO-PHASE SOLUTION STRATEGY FOR MULTIOBJECTIVE  
FUZZY STOCHASTIC LINEAR PROGRAMMING PROBLEMS WITH  
UNCERTAIN PROBABILITY DISTRIBUTION

ABDULQADER OTHMAN HAMAD AMEEN

A thesis submitted in fulfilment of the  
requirements for the award of the degree of  
Doctor of Philosophy (Mathematics)

Faculty of Science  
Universiti Teknologi Malaysia

JANUARY 2015

To my beloved wife and children

## ACKNOWLEDGEMENT

Praise be to **Allah**, God of the creation, Lord of the world. I would like to thank my creator for given me the strength to complete this research.

I would like to express my deepest thanks and gratitude to my highly distinguished Dr. Zaitul Marlizawati Zainuddin for her encouragement, inspiring guidance, and valuable suggestions throughout the progress of this work. She tirelessly provided guidance throughout the initial exploration, the background search, and finally the writing of the thesis.

Special appreciation goes to my wife Adiba E. Daghtachin for all her love and support during the years of my study; I could not have completed this without her patience.

Finally, I wish to thank Assoc. Prof. Dr. Yusof Yaacob for helping me with the La Tex software, and Mr. Mohd Radzi Poh Abdullah for helping in editing the text of the thesis.

## ABSTRACT

Multiobjective Fuzzy Stochastic Linear Programming (MFSLP) problem where the linear inequalities on the probability are fuzzy is called a Multiobjective Fuzzy Stochastic Linear Programming problem with Fuzzy Linear Partial Information on Probability Distribution (MFSLPPFI). The uncertainty presents unique difficulties in constrained optimization problems owing to the presence of conflicting goals and randomness surrounding the data. Most existing solution techniques for MFSLPPFI problems rely heavily on the expectation optimization model, the variance minimization model, the probability maximization model, pessimistic/optimistic values and compromise solution under partial uncertainty of random parameters. Although these approaches recognize the fact that the interval values for probability distribution have important significance, nevertheless they are restricted by the upper and lower limitations of probability distribution and neglected the interior values. This limitation motivated us to search for more efficient strategies for MFSLPPFI which address both the fuzziness of the probability distributions, and the fuzziness and randomness of the parameters. The proposed strategy consists two phases: fuzzy transformation and stochastic transformation. First, ranking function is used to transform the MFSLPPFI to Multiobjective Stochastic Linear Programming Problem with Fuzzy Linear Partial Information on Probability Distribution (MSLPPFI). The problem is then transformed to its corresponding Multiobjective Linear Programming (MLP) problem by using  $\alpha$ -cut technique of uncertain probability distribution and linguistic hedges. In addition, Chance Constraint Programming (CCP), and expectation of random coefficients are applied to the constraints and the objectives respectively. Finally, the MLP problem is converted to a single-objective Linear Programming (LP) problem via an Adaptive Arithmetic Average Method (AAAM), and then solved by using simplex method. The algorithm used to obtain the solution requires fewer iterations and faster generation of results compared to existing solutions. Three realistic examples are tested which show that the approach used in this study is efficient in solving the MFSLPPFI.

## ABSTRAK

Masalah Pengaturcaraan Linear Kabur Stokastik Multiobjektif (MFSLP) di mana ketaksamaan linear pada kebarangkalian adalah kabur dikenali sebagai Masalah Pengaturcaraan Linear Kabur Stokastik Multiobjektif dengan Maklumat Separa Linear atas Taburan Kebarangkalian (MFSLPPFI). Kewujudan ketidakpastian menyebabkan kesukaran yang unik dalam masalah pengoptimuman terkekang kerana kehadiran matlamat yang bercanggah dan data sekitaran yang rawak. Kebanyakan kaedah penyelesaian MFSLPPFI bergantung pada model jangkaan pengoptimuman, model peminimuman varians, model pemaksimuman kebarangkalian, nilai pesimistik/optimistik, dan penyelesaian kompromi di bawah ketidakpastian separa parameter rawak yang terlibat. Walaupun pendekatan itu mengiktiraf pentingnya nilai selang bagi taburan kebarangkalian, namun taburan kebarangkalian hanya menjurus kepada had atas dan bawah taburan kebarangkalian dan mengabaikan nilai-nilai dalaman. Kekangan tersebut memberi motivasi bagi mencari strategi penyelesaian yang lebih efisien bagi masalah MFSLPPFI yang mengambilkira kedua-dua kekaburan taburan kebarangkalian dan kekaburan dan kerawakan parameter. Konsep penyelesaian bagi penyelidikan ini berasaskan strategi penyelesaian dua fasa, terdiri daripada transformasi kabur dan transformasi stokastik. Pertama, fungsi kedudukan digunakan untuk mentransformasi MFSLPPFI kepada masalah Pengaturcaraan Linear Stokastik Multiobjektif dengan maklumat separa linear kabur pada taburan kebarangkalian (MSLPPFI). Masalah yang diperolehi kemudiannya ditransformasi kepada masalah Pengaturcaraan Linear Multiobjektif (MLP) yang setara dengan teknik potongan- $\alpha$  bagi taburan kebarangkalian tidak pasti dan lindung nilai linguistik. Selain itu, Pengaturcaraan Kekangan Peluang (CCP) dan jangkaan pekali rawak masing-masing diaplikasikan kepada kekangan dan objektif. Akhirnya, masalah MLP ditukar kepada masalah Pengaturcaraan Linear berobjektif tunggal (LP) menerusi satu Kaedah Penyesuaian Purata Aritmetik (AAAM) dan masalah LP tersebut diselesaikan dengan menggunakan kaedah simpleks. Algoritma yang digunakan untuk mendapatkan penyelesaian memerlukan bilangan lelaran yang kurang dan penjanaan keputusan yang lebih pantas berbanding penyelesaian sedia ada dalam literatur. Tiga contoh realistik diuji yang hasilnya menunjukkan pendekatan yang digunakan dalam kajian ini efisien dalam menyelesaikan MFSLPPFI.

## TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGMENT	iv
	ABSTRACT	v
	ABSTRAK	vi
	TABLE OF CONTENTS	vii
	LIST OF TABLES	xii
	LIST OF FIGURES	xiv
	LIST OF ABBREVIATIONS	xvi
	LIST OF SYMBOLS	xxi
	LIST OF APPENDICES	xxiii
<b>1</b>	<b>INTRODUCTION</b>	<b>1</b>
	1.1 Introduction	1
	1.2 Motivation	2
	1.3 Background of the Problem	5
	1.3.1 Introduction to Background of the Problem	5
	1.3.2 Multiobjective Fuzzy Linear Programming Problem	8
	1.3.3 Multiobjective Stochastic Linear Programming Problem	12
	1.3.4 Deterministic Multiobjective Linear Programming Problem	16

1.4	Problem Statement	17
1.5	Research Questions	19
1.6	Research Objectives	20
1.7	Scope of the Study	20
1.8	Significance of the Study	21
1.9	Research Framework	23
1.10	Outline of the Thesis	27
<b>2</b>	<b>LITERATURE REVIEW</b>	<b>28</b>
2.1	Introduction	28
2.2	Introduction to Multiobjective Fuzzy Stochastic Linear Programming Problems	28
2.3	Some Basic Definitions	29
2.3.1	Linear Programming Problems	29
2.3.2	Multiobjective Programming Problems	30
2.3.3	Multiobjective Stochastic Problems	30
2.3.4	Fuzzy Linear Program	31
2.3.5	Fuzzy Stochastic Linear Programming Problems	32
2.4	Related Works	32
2.4.1	Multiobjective Stochastic Linear Programming Problems	33
2.4.2	The Flowchart of the Literature Review of the Multiobjective Stochastic Linear Programming Problems	46
2.4.3	Multiobjective Fuzzy Linear Programming Problems	47
2.4.4	The Flowchart of the Literature Review of the Multiobjective Fuzzy Linear Programming Problems	57
2.4.5	Multiobjective Fuzzy Stochastic Linear Programming Problems	63
2.4.6	The Flowchart of the Literature Review of the Multiobjective Fuzzy Stochastic Linear Programming Problems	82



2.5	Types of Ranking Functions	89
2.6	Summary	91
<b>3</b>	<b>RESEARCH METHODOLOGY</b>	<b>93</b>
3.1	Introduction	93
3.2	Problem Formulation	93
3.3	Preliminaries of the Fuzzy Concept	95
3.3.1	Basic Definitions	96
3.3.2	Multiobjective Fuzzy Linear Programming Problems	100
3.3.3	Multiobjective Stochastic Linear Programming Problems	101
3.3.4	Multiobjective Fuzzy Stochastic Linear Programming Problems	101
3.3.5	Feasible Solution Set	102
3.4	Fuzzy Transformation	103
3.4.1	Fuzzy Transformation in the Problem Formulation	103
3.4.2	Fuzzy Transformation of the Probability Distribution	104
3.5	Linguistic Hedges of the Probability Distribution	107
3.6	Stochastic Transformation	112
3.7	The Recourse Approach	113
3.8	The Equivalence Between MFSLP Problems and Their Deterministic Applications	118
3.8.1	Maleki's Lemma in the Equivalence Between FLP Problem and Its Deterministic Application	118
3.8.2	The Equivalence Theorem Between MFSLP Problems and Their Deterministic Applications	119
3.9	Sen's Method for MLP Problems	123
3.10	Deterministic Linear Programming Problem: Basic Definitions	124
3.11	An Adaptive Arithmetic Average Method	126
3.12	The Pareto Optimal Solution	131

3.12.1	Complete Optimal Solution	132
3.12.2	Pareto Optimal Solution	133
3.12.3	Dominated Solution	133
3.12.4	Weak Pareto Optimal Solution	133
3.12.5	The Relationship Among Solutions	134
3.12.6	Solution Algorithm of the Pareto Optimal Solution	135
3.13	Solution Algorithm for Solving MFSLPPFI	137
3.14	Operational Frameworks Flowchart	138
3.15	Summary	141
<b>4</b>	<b>DEVELOPMENT OF THE IMPROVED TWO-PHASE SOLUTION STRATEGY FOR MFSLPPFI</b>	<b>142</b>
4.1	Introduction	142
4.2	MFSLPPFI's Mathematical Formulation	143
4.3	Phase One: Fuzzy Transformation	144
4.4	Phase Two: Stochastic Transformation	145
4.5	Multiobjective Deterministic Linear Programming Problems	148
4.5.1	Sen's Method for MLP problems	149
4.5.2	An Adaptive Arithmetic Average Method	150
4.6	Pareto Optimal Solution	151
4.6.1	Pareto Optimal Solution for Multiobjective Linear Programming Problems	152
4.6.2	Pareto Optimal Solution for Bilevel Linear Programming Problems	154
4.7	The Relationship Among the Solutions	155
4.8	Solution Algorithm for Development of the Improved Two-Phase Solution Strategy for MFSLPPFI	155
4.9	Operational Framework Flowcharts	157
4.10	Summary	160
<b>5</b>	<b>APPLICATIONS</b>	<b>161</b>

5.1	Introduction	161
5.2	Example One: MFSLPPFI without RA	161
5.3	Pareto Optimal Solution	183
5.4	Example Two: Fuzzy Stochastic Linear Programming Problem with Fuzzy Linear Partial Information on Probability Distribution (FSLPPFI) with RA	196
5.5	Example Three: A Real Life Problem	209
5.5.1	A Compromise Solution by the Adaptive Arithmetic Average Method	238
5.5.2	A Compromise Solution by Sen's Method	241
5.5.3	A Compromise Solution by Weighted Average Operator	244
5.5.4	Pareto Optimal Solution for MLP Problem	251
5.5.5	Pareto Optimal Solution for BLP Problem	257
5.6	Analysis of the Results	266
5.7	Summary	272
<b>6</b>	<b>CONCLUSIONS AND FUTURE WORKS</b>	<b>273</b>
6.1	Introduction	273
6.2	Summary	273
6.3	Contributions	276
6.4	Future Works	279
	<b>REFERENCES</b>	<b>280</b>
	Appendices A - D	300 -308

## LIST OF TABLES

<b>TABLE NO.</b>	<b>TITLE</b>	<b>PAGE</b>
2.1	Literature review summary for MSLP problem	42
2.2	Literature review summary for MFLP problem	54
2.3	Literature review summary for MFSLP problem	76
2.4	Types of ranking functions	90
5.1	The quantities in kilograms of Raws materials and Products	162
5.2	The fuzzy stochastic parameter and its states	163
5.3	The stochastic parameter and its states	165
5.4	The solution of objective functions	177
5.5	The compromise solution	179
5.6	The compromise solution: Sen's method	182
5.7	$X^P$ for MLP problems: Part-I	188
5.8	$X^P$ for MLP problems: Part-II	189
5.9	$X^P$ for BLP problems: Part-I	194
5.10	$X^P$ for BLP problems: Part-II	195
5.11	Comparison between $X^P$ s	196
5.12	The quantity of raw materials and productions	197
5.13	The fuzzy stochastic parameters and their states	198
5.14	The fuzzy stochastic penalty costs and their states	199
5.15	The stochastic parameters and their states	204
5.16	The stochastic penalty penalty cost parameters and their states	204
5.17	LP optimum solution	209
5.18	The quantities in kilograms of Meat, Flour and Products	211
5.19	The fuzzy stochastic parameters and their status-I	212
5.20	The fuzzy stochastic parameters and their status-II	213
5.21	The stochastic parameters and their status	216
5.22	The solution of objective functions	237

5.23	The compromise solution by the AAAM	250
5.24	The compromise solution by Sen's Method	250
5.25	The compromise solution by weighted average operator	250
5.26	$x^P$ for MLP problems: Part-I	256
5.27	$x^P$ for MLP problems: Part-II	256
5.28	$x^P$ for BLP problems	262
5.29	Comparison between $x^P$ s	263
5.30	Result comparison and relationship among them: Part-I	264
5.31	Result comparison and relationship among them: Part-II	265

## LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
1.1	Scenario leading to the statement of the problem	18
1.2	Summary of academic contributions	23
1.3	Conceptual framework: Part-I	25
1.4	Conceptual framework: Part-II	26
2.1	The MSLP problems's flowchart of the literature review	46
2.2	The MFLP problem's flowchart of the literature review-I	57
2.3	The MFLP problem's flowchart of the literature review-II	58
2.4	The MFLP problem's flowchart of the literature review-III	59
2.5	The MFLP problem's flowchart of the literature review-IV	60
2.6	The MFLP problem's flowchart of the literature review-V	61
2.7	The MFLP problem's flowchart of the literature review-VI	62
2.8	The MFSLP problem's flowchart of the literature review-I	82
2.9	The MFSLP problem's flowchart of the literature review-II	83
2.10	The MFSLP problem's flowchart of the literature review-III	84
2.11	The MFSLP problem's flowchart of the literature review-IV	85
2.12	The MFSLP problem's flowchart of the literature review-V	86
2.13	The MFSLP problem's flowchart of the literature review-VI	87
2.14	The MFSLP problem's flowchart of the literature review-VII	88
3.1	The membership function	96
3.2	The fuzzy random variable	97
3.3	Trapezoidal fuzzy number	99
3.4	Triangular fuzzy number	99
3.5	Theoretical framework of fuzzy transformation via $R(F)$	105
3.6	Theoretical framework of $\alpha$ -cut technique	106

3.7	Linguistic hedges of $P$	109
3.8	Theoretical framework of defuzzifier of $P$	111
3.9	Theoretical framework of stochastic transformation for MSLP problem: Part-I	114
3.10	Theoretical framework of stochastic transformation for MSLP problem: Part-II	115
3.11	Theoretical framework of RA	117
3.12	Theoretical framework for an AAAM	130
3.13	Theoretical framework for the pareto optimal solution	136
3.14	MFSLPPFI's operational framework flowchart: Part-I	139
3.15	MFSLPPFI's operational framework flowchart: Part-II	140
4.1	Theoretical framework of DITSS-MFSLPPFI: Part-I	158
4.2	Theoretical framework of DITSS-MFSLPPFI: Part-II	159
5.1	Linguistic hedges of $p_1$	167
5.2	Linguistic hedges of $p_2$	169
5.3	Linguistic hedges of $p_3$	171
5.4	Fuzzy assertion of $p_1$	205
5.5	Fuzzy assertion of $p_2$	206
5.6	Fuzzy assertion of $p_3$	206
5.7	Linguistic hedges of $p_1$	219
5.8	Linguistic hedges of $p_2$	221
5.9	Linguistic hedges of $p_3$	223
5.10	Linguistic hedges of $p_4$	225

## LIST OF ABBREVIATIONS

AAAM	-	Adaptive Arithmetic Average Method
BLP	-	Bilevel Linear Programming
BP	-	Bilevel Programming
CC	-	Chance Constraint
CCA	-	Chance Constrained Approach
CCCP	-	Compromise Chance Constrained Programming
CCP	-	Chance Constrained Programming
CP	-	Compromise Programming
DE	-	Differential Evolution
DLP	-	Deterministic Linear Programming
DM	-	Decision Maker
EMO	-	Evolutionary Multiobjective Optimization
EMP	-	Evolutionary Multiobjective Programming
FDSA	-	Fuzzy Dual Simplex Algorithm
FFLP	-	Fully Fuzzy Linear Programming
FLP	-	Fuzzy Linear Programming
FLPF	-	Fuzzy Linear Programming with Fuzzy Linear Partial Information on Probability Distribution
FMF	-	Fuzzy Membership Function
FMO	-	Fuzzy Multiobjective Optimization
FMP	-	Fuzzy Multiobjective Programming
FNLP	-	Fuzzy Number Linear Programming
FP	-	Fuzzy Programming
FPSA	-	Fuzzy Primal Simplex Algorithm



FRC	-	Fuzzy Random Coefficient
FRMLP	-	Fuzzy Random Multiobjective Linear Programming
FRP	-	Fuzzy Random Programming
FRSMP	-	Fuzzy Robust Stochastic Multiobjective Programming
FSGP	-	Fuzzy Stochastic Goal Programming
FSLP	-	Fuzzy Stochastic Linear Programming
FSLPPFI	-	Fuzzy Stochastic Linear Programming Problems with Fuzzy Linear Partial Information on Probability Distribution
FSOP	-	Fuzzy Stochastic Optimization Programming
FSP	-	Fuzzy Stochastic Programming
$FT_p$ MF	-	Fuzzy Trapezoidal Membership Function
$FT_r$ MF	-	Fuzzy Triangular Membership Function
FULPAL	-	Fuzzy Linear Programming based on Aspiration Levels
FV	-	Fuzzy Variable
FVLP	-	Linear Programming Problem with Trapezoidal Fuzzy Variables
GA	-	Genetic Algorithm
GP	-	Goal Programming
i.e.	-	That Is To Say
IFRLP	-	Integrate Fuzzy Robust Linear Programming
IMSLP	-	Interval-Parameter Multistage Stochastic Linear Programming
KKT	-	Karush-Kuhn-Tucker
LHS	-	Left Hand Side
LMOP	-	Linear Multiple Objective Problems
LP	-	Linear Programming
LSP	-	Linear Stochastic Programming
MCA	-	Multicriteria Approach
MCDM	-	Multicriteria Decision Making
MDLP	-	Multiobjective Deterministic Linear Programming
MFLP	-	Multiobjective Fuzzy Linear Programming

MFP	-	Multiobjective Fuzzy Programming
MFRP	-	Multiobjective Fuzzy Random Programming
MFSLP	-	Multiobjective Fuzzy Stochastic Linear Programming
MFSLPPFI	-	Multiobjective Fuzzy Stochastic Linear Programming Problems with Linear Partial Information on Probability Distribution
MFSLPPI	-	Multiobjective Fuzzy Stochastic Linear Programming Problems with Incomplement Information on Probability Distribution
MFSNLPPFI	-	Multiobjective Fuzzy Stochastic Non Linear Programming Problems with Linear Partial Information on Probability Distribution
MFSP	-	Multiobjective Fuzzy Stochastic Programming
MILP	-	Multiobjective Integer Linear Programs
MIP	-	Multiobjective Integer Programming
MLDPP	-	Multilevel Decentralized Programming Problems
MLLP	-	Multilevel Linear Programming
MLP	-	Multiobjective Linear Programming
MMP	-	Multiobjective Mathematical Programming
MNLP	-	Multiobjective Nonlinear Programming
MO	-	Multiobjective Optimization
MOLP	-	Multiobjective Optimization Linear Programming
MP	-	Multiobjective Programming
MPOS	-	M-Pareto Optimal Solution
MSFLP	-	Multiobjective Stochastic Fuzzy Linear Programming
MSIP	-	Multiobjective Stochastic Integer Programming
MSLP	-	Multiobjective Stochastic Linear Programs
MSLPF	-	Multiobjective Stochastic Linear Programming with Fuzzy Linear Partial Information on Probability Distribution
MSLPI	-	Multiobjective Stochastic Linear Programming with Incomplement Information on Probability Distribution

MSLPPFI	-	Multiobjective Stochastic Linear Programming Problems with Fuzzy Linear Partial Information on Probability Distribution
MSLPPI	-	Multiobjective Stochastic Linear Programming Problems with Linear Partial Information on Probability Distribution
MSP	-	Multiobjective Stochastic Programming
MSPI	-	Multiobjective Stochastic Program With Incomplete Probability Distribution
NLP	-	Nonlinear Programming
$p^{\text{LEP}}$	-	P-Level Efficient Points
PP	-	Possibilistic Programming
RA	-	Recourse Approach
RFV	-	Random Fuzzy Variable
RHS	-	Right Hand Side
RVC	-	Random Variable Coefficient
SDLP	-	Single-objective Deterministic Linear Programming
SFGP	-	Stochastic Fuzzy Goal Programming
SFLP	-	Stochastic Fuzzy Linear Programming
SGP	-	Stochastic Goal Programming
SLP	-	Stochastic Linear Programming
SLPF	-	Stochastic Linear Programming with Fuzzy Linear Partial Information on Probability Distribution
SLPFI	-	Stochastic Linear Programming with Fuzzy Linear Partial Information on Probability Distribution
SLPI	-	Stochastic Linear Programming with Linear Partial Information on Probability Distribution
SMP	-	Stochastic Multiobjective Programming
SNLP	-	Stochastic Nonlinear Programming
SP	-	Stochastic Programming
SPI	-	Stochastic Program With Linear Partial Information on Probability Distribution
$ST_p\text{FN}$	-	Symmetric Trapezoidal Fuzzy Numbers

$ST_rFN$	-	Symmetric Triangular Fuzzy Numbers
$T_pFN$	-	Trapezoidal Fuzzy Number
$T_rFN$	-	Triangular Fuzzy Number
UTM	-	Universiti Teknologi Malaysia
VOP	-	Vector Optimization Programming
WPOS	-	Weak Pareto Optimal Solution
$X^{CO}$	-	Complete Optimal Solution Set
$X^P$	-	Pareto Optimal Solution Set
$X^{WP}$	-	Weak Pareto Optimal Solution Set

## LIST OF SYMBOLS

$\square$	-	End of Proof
$(\Omega, 2^\Omega, P)$	-	Probability space
$\tilde{A}$	-	Fuzzy Set
$\phi$	-	The Value of The Objective Function
$\phi A_i$	-	The Value of The Maximum Objective Function
$\phi L_i$	-	The value of the Minimum Objective Function
$\lesssim$	-	Essentially Less Than or Equal To
$\preceq$	-	Almost Less Than or Equal To
$F$	-	Lower Probability of Event $A \in w$
$F(\mathbb{R})(w)$	-	The Set of All Trapezoidal Fuzzy Stochastic Discrete Number Events
$F(\mathbb{R})$	-	The Set of All Trapezoidal Fuzzy Numbers
$F(R)$	-	The Set of All Fuzzy Numbers
$F(S)$	-	The Set of Symmetric Trapezoidal Fuzzy Numbers
$\inf$	-	Infimum
$\mathbb{N}$	-	Natural Numbers
$P_F$	-	Problem Formulation
$P$	-	Probability Distribution
$p^{\text{LFP}}$	-	P- Level Efficient Points
$\mathbb{R}$	-	Real Numbers
$\mathbb{R}^n$	-	N- Dimensional of Real Number
$R(F)$	-	Ranking Function
$S$	-	The Set of All Feasible Solution
$SM$	-	Summation of All Values of Maximum Objective Functions

$SN$	-	Summation of All Values of Minimum Objective
$T$	-	Transpose
$\mathbf{T}$	-	The Set of The Interval [0,1]
$\underline{\Delta}$	-	Vector Minimization Problem
$X$	-	A Universal Set
$\gamma$	-	Maximum Expectation Function of Compromise Function
$\pi$	-	Determinate Polyhedral Set
$\tilde{\pi}$	-	Fuzzy Polyhedral Set
$\delta$	-	An Adaptive Arithmetic Average

**LIST OF APPENDICES**

<b>APPENDIX</b>	<b>TITLE</b>	<b>PAGE</b>
A	Algebra Properties of Trapezoidal Fuzzy Numbers	300
B	Sensitivity Analysis	301
C	Optimal Solution and Convex Set	306
D	Publications	308

## **CHAPTER 1**

### **INTRODUCTION**

#### **1.1 Introduction**

A Linear Programming (LP) problem is a mathematical programming problem with a single linear objective function subject to a linear constraint set and the assumption that parameters are known with certainty. LPs involving more than one conflicting objective functions are called Multiobjective Linear Programming (MLP) problems.

An MLP problem is called a Multiobjective Stochastic Linear Programming (MSLP) problem when the parameters in the MLP problems are random and represented by probability distributions. MLP problems are called Multiobjective Fuzzy Stochastic Linear Programming (MFSLP) problems when the parameters in the MLP problems are fuzzy random and represented by probability distributions.

In all MSLP/MFSLP problems, the probability distributions are supposed to be known. But in many situations, the probability distributions cannot be specified. Such problems are studied under partial uncertainties and described by crisp or fuzzy linear inequalities to find optimal solutions. They are called Multiobjective Stochastic Linear Programming with Incomplement on probability distribution (MSLPI) problems, or Multiobjective Fuzzy Stochastic Linear Programming with



Incomplement on probability distribution (MFSLP) problems. When the linear inequalities on the probabilities of the states are fuzzy, the problem is called Multiobjective Stochastic Linear Programming Problem with Fuzzy Linear Partial Information on probability distribution (MSLPFI), or Multiobjective Fuzzy Stochastic Linear Programming Problem with Fuzzy Linear Partial Information on probability distribution (MFSLPFI) problems.

## 1.2 Motivation

Real life problems are complicated and are subject to change. And this is just as true in LP problems where the assumption that all the coefficients of an LP model are known with certainty rarely holds in practice. In addition, whether in normal living or in professional settings, there may be various conflicting objectives that need to be considered in making decisions. Therefore, it is more appropriate to extend an LP problem to either a Fuzzy Linear Programming (FLP) problem, a Stochastic Linear Programming (SLP) problem, or a Fuzzy Stochastic Linear Programming (FSLP) problem.

An LP problem could have fuzziness and randomness occur separately or concurrently. Due to two different types of uncertainties, a fuzzy number is assigned to incomplete, inaccurate information in the LP problem. On the other hand, the stochastic variable represents arbitrariness or possibility of events. There are random changes in fuzzy numbers in factual life. For instance, the assessment of tolerance of machining products could be estimated as a fuzzy number. The production lot could vary from time to time, cycle-by-cycle in values. Moreover, random variable could be modeled as fuzzy tolerance values.

FSLP problems appear in numerous real-life situations. The required tools for LP problems such as the right-hand-sides (RHSs) and coefficients of the objectives

and constraints could be fuzzy random variables. However, it is complex to resolve accurately the values of these parameters, especially those factors which are unpredictable due to uncertainties in the environment which results in varying parameters. These conditions happen frequently in long-term planning, advance strategies, engineering design and financial modeling, in which the described surroundings (objectives, constraints, coefficients) cannot be evaluated specifically and with certainty (Luhandjula and Gupta, 1996; Hop, 2007b).

An explanatory example of FSLP problem is in production planning. A large reduction in total cost could be considered as an objective that can be represented as a fuzzy stochastic variable since the cost components such as cost of inventory holding, materials, manpower and operation time and machine maintenance. Production output may depend on variables such as speeds, feed rates, and machine running time. Machine running time goes up-and-down and is usually difficult to assess accurately. Fuzzy random variables can be used to model available resources, demand, and other constraint coefficients. Such supposedly statistical data depend on environmental conditions including seasonal changes, market price fluctuation, suppliers' efficiency and cost and benefit of defensive maintenance.

Unstable state of equipment results in loss in production output. To reduce untimely breakdowns, defensive maintenance is the way to active sustainability. Regular inspection, repair, and component replacement as scheduled are preventive measures. Such measures are usually cost effective in terms of materials, wages, and loss of production due to down-time for preventive works. The uncertainty in length of the down-time is caused by the complexity of inspection, repair and/or replacement jobs and the maintenance culture of the staff.

It is desirable to develop a strategy to reduce total down time as a result of breakdowns and for preventive maintenance. An additional factor to consider is the effective life of the machine. All these times and their related costs should be modeled

as fuzzy random variables (Hop, 2007b). These instances motivate us to suggest a new model for resolving MFSLPPFI.

By and large real life problems usually include some levels of uncertainties in the values of various parameters. Quoting the philosopher Nietzsche: “No one is gifted with immaculate perception”.

Counterfeit certainty is awful science which carries the risks of making wrong enunciation of critical choices. Just assuming values to unknown variables will not result in much loss of values if they do not play important roles. But, in many real situations, building the model based on such assumed values runs the risk of pointing to wrong directions in the analysis. Assuming that the parameters are exactly prescribed may lead to an oversimplified and inflated picture of the certainty.

The principle of “garbage in, garbage out” shows clearly what disasters can happen when inaccurate data are falsely given preset values. This is more likely to creating the model which churns out meaningless outcomes. It is imperative that when a probabilistic explanation of unidentified elements is used, it should be cast as an SLP problem (Charnes and Cooper, 1963; Kall, 1976; Luhandjula, 2006). The presence of intrinsic or informational ambiguity, should be transformed to result in FLP problems (Liu and Liu, 2002; Liu, 2003; Liu, 2002; Sakawa, 1993; Verdegay, 1984).

Given everchanging complexities of real life, real world problems are frequently based on information that is vague and probabilistically uncertain (Luhandjula and Gupta, 1996). For instance, consider a production situation that is set in an LP situation, when it is assumed that the member components of constraints are demands which are random variables. If the coefficients in the matrix as given by experts who used fuzzy numbers to relate vague perceptions with data are presented statistically, the result will be an FSLP problem (Luhandjula, 2006).

When there are multiple parameters in an FSLP problem, we obtain an MFSLP problem. Since we cannot avoid complexities in real life, such problems demand to be on center stage.

In many SLP/FSLP problems, the probability distribution is supposed to be identified. But in some cases, we only have partial information on the way the probability distribution behaves. For example selecting a portfolio based on various criteria in the financial market, finding an optimal multiobjective/ multiattribute model for products, the demand on a new product of a client, the amount time to prepare raw materials, production time of a new product and profit of it...etc, are all random phenomena which have to be modeled stochastically.

### **1.3 Background of the Problem**

This section is divided into four subsections that cover relevant information on the previous studies and issues surrounding the area being researched. It begins with attempts to understand and apply MSLPPFI, Multiobjective Fuzzy Linear Programming (MFLP), and MFSLP problems.

#### **1.3.1 Introduction to Background of the Problem**

Because the real world is continually changing, its components are in constant motion and are unstable. Frequently the effects of these components are superimposed, at least partially. Many researchers felt the need to incorporate both randomness and fuzziness into multiobjective programming problems (Katagiri and Ishii, 2000; Bector and Chandra, 2005a; Hop, 2007c; Chou *et al.*, 2009). Both fuzziness and randomness co-occurred in the LP problems related to FSLP when coefficients of objective,

constraints and goals are fuzzy random variables (Luhandjula, 2006). Hop (2007a, 2007b, 2007c) has proposed a few models to measure attainment of such problems.

Iskander (2005) considered the FSLP problem as:

$$\begin{aligned}
 \text{Max } \tilde{Z} &= \sum_{j=1}^n \tilde{c}_j x_j \\
 \text{s.t. } \sum_{j=1}^n \tilde{a}_{ij} x_j &\leq b_i, i = 1, \dots, m, \\
 x_j &\geq 0, j = 1, \dots, n.
 \end{aligned} \tag{1.1}$$

where  $x_j, j = 1, \dots, n$  are nonnegative decision variables,  $\tilde{c}_j, j = 1, \dots, n$  are fuzzy coefficients in the objective function,  $b_i, i = 1, \dots, m$  are random variables with known distribution functions, while  $\tilde{a}_{ij}$  represents the fuzzy coefficient of the  $j^{th}$  decision variable in the  $i^{th}$  stochastic constraint. The author suggested an approach for solving the FSLP problem by utilizing two possibility as well as two necessity dominance indices previously used by Dubois and Prade (1983). The Chance Constraint (CC) approach, where feasible solutions satisfying uncertain constraints under certain probability are selected, and the  $\alpha$ -cut technique are used to obtain the deterministic crisp LP problem. The researchers did not consider MFSLP problems, and did not take into consideration the case where the coefficients in the objective, the Left Hand Side (LHS) of the constraints, as well as its Right Hand Side (RHS) are Fuzzy Stochastic Variables (FSVs). They dealt only with the LHS variables with known distribution functions.

Luhandjula (2006) formulated an FSLP problem as:

$$\begin{aligned}
 \widetilde{\text{Min}} \quad & c(w)x \\
 \text{s.t. } & A_i(w)x \lesssim b_i(w); i = 1, \dots, m \\
 & x \in X = \{x \in \mathbb{R}^n | x \geq 0\}
 \end{aligned} \tag{1.2}$$

where  $c(w)$ ,  $A_i(w)$  and  $b_i(w)$  are random variables on  $(\Omega, 2^\Omega, P)$ ; in which  $\Omega = \{w_1, \dots, w_N\}$  a finite set of possible states of nature,  $2^\Omega$  is the power set of  $\Omega$  and  $P$  the vector of probabilities  $p_i = P(\{w = w_i\})$ . The symbol  $\sim$  expresses the fact that some flexibility are allowed in satisfying the objective and constraints in the linear flexible programs and Linear Stochastic Programs (LSPs) (Zimmermann, 1976; Kall, 1976). The solution of the problem needs combining symmetrical solution techniques (Luhadjula, 1983; Luhadjula *et al.*, 1997) and asymmetrical solution techniques (Chakraborty *et al.*, 1994; Chakraborty, 2002; Luhadjula, 1983). It is noted that Luhadjula did not consider certain FSVs for the coefficients, but applied flexible programs to the system. This lead to a bargaining between the objective function and the constraints, thus weakening the results.

Hop (2007a) considered a Fuzzy Stochastic Goal Programming (FSGP) as;

$$\begin{aligned}
 & (\tilde{c}_k)_w x ; (\tilde{g}_k)_w, k = 1, l \\
 \text{s.t. } & \sum_{j=1}^n (\tilde{a}_{ij})_w x_j \leq (\tilde{b}_i)_w \\
 & x_j \geq 0; w \in \Omega; i = 1, 2, \dots, m; j = 1, 2, \dots, n; k = 1, 2, \dots, l
 \end{aligned} \tag{1.3}$$

where  $a, b$  are  $(m, n)$  and  $(m, 1)$  matrices of constraint coefficients,  $(\tilde{c}_k)_w$  is  $(1, n)$  matrix of Fuzzy Random Coefficients (FRCs), and  $(\tilde{g}_k)_w$  are given fuzzy random goals required to maximally satisfy both sides. In other words; if  $(\tilde{c}_k)_w x \leq (\tilde{g}_k)_w$  the lower attainment values should be maximized. Otherwise, if  $(\tilde{c}_k)_w x \geq (\tilde{g}_k)_w$  the upper attainment values should be maximized. The author suggested a model to measure attainment value of the FSGP, and a new measure was used to derandomize and defuzzify the FSGP problem to obtain the standard form LP problem.

Another FSLP problem:

$$\begin{aligned}
& \text{Max } cx \\
& \text{s.t. } \sum_{j=1}^n (\tilde{a}_{ij})_w x_j \leq (\tilde{b}_i)_w; \quad i = 1, \dots, m \\
& x_j \geq 0; \quad w \in \Omega; \quad i = 1, \dots, m; \quad j = 1, \dots, n; \quad k = 1, \dots, l
\end{aligned} \tag{1.4}$$

has been considered (Hop, 2007b), where  $c$  is  $(1, n)$  matrix.  $A, b$  are  $(m, n)$ , and  $(m, 1)$  matrices of fuzzy random variable constraint coefficients defined on a probability space  $(\Omega, 2^\Omega, P)$ . The problem was reformulated into its corresponding deterministic LP problem by the restrictions on the superiority and inferiority degrees, as the penalty for the violation to fuzziness and randomness. The author did not consider MFSLP problem but only the single optimization problem. On the other hand Recourse Approach (RA) was utilized to convert the problem from fuzziness and randomness to its corresponding deterministic form. This study focused on the FSLPPFI and highlighted on three aspects which are fuzziness, randomness, and whether a function is deterministic, from the beginning of the problem until solution is found, in solving the Singleobjective Deterministic Linear Programming (SDLP) problem:

### 1.3.2 Multiobjective Fuzzy Linear Programming Problem

Maleki *et al.* (2000) noted that the possibilistic programming or multiobjective programming methods have shortcomings in solving problems in which all decision parameters are fuzzy numbers. They considered an LP with FVs as:

$$\begin{aligned}
& \text{Max } \tilde{z} = \sum_{j=1}^n \tilde{c}_j x_j, \\
& \text{s.t. } \sum_{j=1}^n \tilde{a}_{ij} x_j \leq \tilde{b}_i, i = 1, 2, \dots, m_0, \\
& \sum_{j=1}^n \tilde{a}_{ij} x_j \geq \tilde{b}_i, i = m_0 + 1, \dots, m, \\
& x_j \geq 0, \quad j = 1, \dots, n,
\end{aligned} \tag{1.5}$$

where  $\tilde{a}_{ij} = (a_{ij}^L, a_{ij}^U, \alpha_{ij}, \beta_{ij})$ ,  $\tilde{b}_i = (b_i^L, b_i^U, \alpha_i, \beta_i)$ , and  $\tilde{c}_j = (c_j^L, c_j^U, \omega_j, \eta_j)$  are in the set of all Trapezoidal Fuzzy Numbers ( $F(\mathbb{R})$ ),  $i = 1, \dots, m$ ,  $j = 1, \dots, n$ . They modified the FLP problem using a comparison of fuzzy numbers by using areas determined by the membership functions, and introduced an effective method to solve this kind of problems. In addition, they proposed a new method for solving LP problems with fuzzy unknowns via an auxiliary program to the original LP and connecting these LPs via relationships between them.

Cadenas and Verdegay (2000) used Ranking Function ( $R(F)$ ) in MFLP problems, Multiobjective Mathematical Programming (MMP) problems, Vector Optimization Programming (VOP) problems, and Fuzzy Multiobjective Optimization (FMO) problems. MMP problems in their conventional cases were transformed into uni-objective mathematical programming problems either by using the weighted approach or the constant approach ( $k^{th}$ -objective  $\lambda$ -constraint), then finding the non-inferior solutions. For the FMO problem, which was the extension of the VOP problem in the fuzzy environment with fuzziness in the constraints and in the objective functions, the following formulation had been developed and studied;

$$\begin{aligned}
& \text{Min } [c_1^f x, c_2^f x, \dots, c_n^f x] \\
& \text{s.t. } Ax \leq b \\
& x \geq 0
\end{aligned} \tag{1.6}$$



where each  $c_j^f, j = 1, 2, \dots, n$  is a  $N$ - vector of fuzzy numbers. The existence of the fuzzy goals had been considered and assumed as follows:

$$\begin{aligned}
 &\text{Find } x \in \mathbb{R}^N \\
 &\text{s.t. } c_j x \leq_g z_j; j = 1, \dots, n \\
 &Ax \leq_g b \\
 &x \geq 0
 \end{aligned} \tag{1.7}$$

where  $\leq_g$  means that there was a membership function;  $\mu_i : \mathbb{R} \rightarrow [0, 1], i = 1, \dots, m$ ,  $\forall x \in \mathbb{R}^N$ .

The obtained problem was:

$$\begin{aligned}
 &\text{Min } [c_1 x, c_2 x, \dots, c_n x] \\
 &\text{s.t. } Ax \leq \mu^{-1}(\alpha) \\
 &x \geq 0, \alpha \in [0, 1]
 \end{aligned} \tag{1.8}$$

where  $\mu^{-1}$  was an  $m$ -vector constraint inverse of the membership function  $\mu_i; i = 1, \dots, m, \forall \alpha \in [0, 1]$ .

A Fuzzy Number Linear Programming (FNLP) problem in the form of

$$\begin{aligned}
 &\text{Max } \tilde{z} = \tilde{c}x \\
 &\text{s.t. } Ax = b, \\
 &x \geq 0
 \end{aligned} \tag{1.9}$$

where  $b \in \mathbb{R}^m, x \in \mathbb{R}^n, A \in \mathbb{R}^{m \times n}, \tilde{c}^T \in (F(\mathbb{R}))^n$  is  $n$ -dimension of the set of all Trapezoidal Fuzzy Numbers ( $T_p$ FNs), had been considered by Nasseri *et al.* (2005), and a linear ranking function was used in solving the problem for comparing fuzzy numbers.

Ganesan and Veeramani (2006) introduced and defined a kind of FLP problem with  $T_p$ FNs in its symmetric form as:

$$\begin{aligned}
 \max \quad & \tilde{z} \approx \sum_{j=1}^n \tilde{c}_j \tilde{x}_j \\
 \text{s.t.} \quad & \sum_{j=1}^n a_{ij} \tilde{x}_j \preceq \tilde{b}_i, i = 1, 2, \dots, m_0, \\
 & \sum_{j=1}^n a_{ij} \tilde{x}_j \succeq \tilde{b}_i, i = m_0 + 1, m_0 + 2, \dots, m, \\
 & \tilde{x}_j \succeq 0 \quad \forall j = 1, 2, \dots, n
 \end{aligned} \tag{1.10}$$

where  $a_{ij} \in \mathbb{R}$ ,  $\tilde{c}_j, \tilde{x}_j, \tilde{b}_i \in F(\mathbf{S})$ s ( The Set of Symmetric Trapezoidal Fuzzy Numbers). The solution for the problem was obtained without converting it to a crisp LP problem.

Some properties in FNLP problems have been explored by Mahdavi-Amiri and Nasseri (2006) when they used a linear ranking function to introduce the dual of the following FNLP problem, where several duality results were presented:

$$\begin{aligned}
 \max \quad & \tilde{z} \underset{R(F)}{=} \tilde{c}x \\
 \text{s.t.} \quad & \tilde{A}x \underset{R(F)}{\leq} \tilde{b}, \\
 & x \geq 0
 \end{aligned} \tag{1.11}$$

where  $\underset{R(F)}{=}$ ,  $\underset{R(F)}{\leq}$  were equality and inequality with respect to the  $R(F)$  respectively,  $\tilde{A} = (\tilde{a}_{ij})_{(m,n)}$ ,  $\tilde{c} = (\tilde{c}_1, \tilde{c}_2, \dots, \tilde{c}_n)$ ,  $\tilde{b} = (\tilde{b}_1, \tilde{b}_2, \dots, \tilde{b}_m)^T$  and  $\tilde{a}_{ij}, \tilde{b}_i, \tilde{c}_i \in F(\mathbb{R})$ .

Based on Maleki *et al.* (2000) and Maleki (2002), a Linear Programming Problem with Trapezoidal Fuzzy Variable (FVLP):

$$\begin{aligned}
& \max_{R(F)} \tilde{z} = \tilde{c}x \\
& \text{s.t. } \tilde{A}x \leq_{R(F)} \tilde{b}, \\
& x \geq_{R(F)} 0,
\end{aligned} \tag{1.12}$$

had been considered by Mahdavi-Amiri and Nasseri (2007), where  $\tilde{b} \in (F(\mathbb{R}))^m$ ,  $A \in \mathbb{R}^{(m,n)}$ ,  $c^T \in \mathbb{R}^n$  are given and  $\tilde{x} \in (F(\mathbb{R}))^n$  is to be determined, and a linear ranking function on  $T_p\text{FN}$ ;  $\tilde{a} = (a^L, a^U, \alpha, \beta)$  defined as:  $R(F)(\tilde{a}) = \frac{a^L + a^U}{2} + \frac{\beta - \alpha}{4}$ . The dual problem on FVLP was established to deduce duality results, those results are then used to develop a dual algorithm to solve the problem by using the primal simplex tableau. It should be noted all these studies did not consider the MFLP problems in the optimization problems but contented themselves with single FLP problem. They also did not use the linear ranking function  $R(F)$  as a tool to transform the FLP problem to its corresponding deterministic LP problem.  $R(F)$ s were used only as a tool to compare FVs.

### 1.3.3 Multiobjective Stochastic Linear Programming Problem

As related to the stochastic part of the MFSLPFI, the first work on SLPPFI was presented by Ben Abdelaziz and Masri (2005a). The problem was modeled as:

$$\begin{aligned}
& \text{Min } c^T(w)x \\
& \text{s.t. } T(w)x - h(w) \geq 0 \\
& x \in X
\end{aligned} \tag{1.13}$$

where  $c(w)$ ,  $T(w)$  and  $h(w)$  were respectively  $(n, 1)$ ,  $(m, n)$  and  $(m, 1)$  random matrices defined on some probability space  $(\Omega, 2^\Omega, P)$  with  $\Omega = \{w_1, \dots, w_N\}$  a finite set of possible states of nature,  $2^\Omega$  was the power set of  $\Omega$  and  $P$  the vector

of probabilities  $p_i = P(\{w = w_i\})$ . The set  $X$  is a polyhedral set of feasible solutions that includes the deterministic constraints of the problem on the probability space  $(\Omega, 2^\Omega, P)$ .

In this work, the partial information on the probability distribution  $P$  was with in two ways:

- The probability was generated by stochastic inequalities on  $\pi$

$$\pi = \left\{ p = (p_1, \dots, p_N)^t : Ap \leq b, \sum_{i=1}^N p_i = 1, p_i \geq 0, i = 1, \dots, N \right\} \quad (1.14)$$

where  $A = (a_{ij})$  and  $b = (b_i)$  were respectively  $(s, N)$  and  $(s, 1)$  fixed matrices.

- Either the probability was generated by fuzzy inequalities on  $\pi$ , or the probability distribution was approximated on  $\tilde{\pi}$  by

$$\tilde{\pi} = \left\{ p = (p_1, \dots, p_N)^t : Ap \preceq b, \sum_{i=1}^N p_i = 1, p_i \geq 0, i = 1, \dots, N \right\} \quad (1.15)$$

where  $A$  and  $b$  were as defined above, and  $\preceq$  was a fuzzy inequality which meant that  $Ap$  was almost equal or less than  $b$ .

The solution was obtained by first applying the fuzziness on the Stochastic Linear Programming with Fuzzy Linear Partial Information on probability distribution (SLPF), then through Stochastic Programming (SP) using Chance Constrained Approach (CCA), for minimizing expected value of the random objective functions on  $\pi$ , and RA after the solution when the deviation or shortage had been obtained.

Ben Abdelaziz and Masri (2010) also studied the Multiobjective Stochastic Linear Programming with Incomplement on probability distribution (MSLPI) problems:

$$\begin{aligned}
& \text{Min } Z = C(w)x = [c_1(w)x, \dots, c_n(w)x] \\
& \text{s.t. } T(w)x - h(w) \geq 0 \\
& x \in X
\end{aligned} \tag{1.16}$$

They addressed the SP, and used the Chance Constrained Programming (CCP) approach as possible resolutions thus sustaining the indeterminate restraint probability level. They extended this method to the MSLPI as follows:

$$\begin{aligned}
& \text{Min } Z = C(w)x \\
& \text{s.t. } P[T(w)x - h(w) \geq 0] \geq \alpha, \forall P \in \pi \\
& x \in X
\end{aligned} \tag{1.17}$$

by using stochastic inequalities on  $\pi$  as in (1.4), and denoting  $F$  as the inferior likelihood purpose interrelated to the set as:

$$F(A) = \inf \{P(A)/P \in \pi\}; \forall A \in \Omega \tag{1.18}$$

This problem is equivalent to:

$$F[T(w)x - h(w) \geq 0] \geq \alpha. \tag{1.19}$$

By utilizing the Compromise Programming (CP) approach which was presented by Zeleny (1982) aimed at multi-objective problems, reducing the distances of the sum from objective- functions to their ideal values, and using the following: CCP approach, CP approach, and Chance Constrained Compromise Programming (CCCP) approach, the CP was addressed as:

$$\begin{aligned}
& \text{Min } C(x, w) \\
& \text{s.t. } F[(T(w)x - h(w) \geq 0)] \geq \alpha \\
& x \in X
\end{aligned} \tag{1.20}$$

Next, to minimize the value of;

$$\gamma(x) = \text{Max}_{P \in \pi} E_P[C(x, w)] \tag{1.21}$$

with some extra hypotheses by the Decision Maker (DM) the CCCP problem became:

$$\begin{aligned}
& \text{Min Max}_{P \in \pi} E_P[C(x, w)] \\
& \text{s.t. } F[(T(w)x - h(w) \geq 0)] \geq \alpha \\
& x \in X, \delta(w) \geq 0
\end{aligned} \tag{1.22}$$

They solved this optimization problem in Singleobjective Deterministic Linear Programming (SDLP) problem under two basic conditions:

- (i) detail the form of the lower probability function  $F$  and,
- (ii) the compromise function  $C(x, w)$ , or a weighted sum of the gap between the stochastic objective functions values  $C(w)x$  and the ideal values  $c^*$  for  $x$  under event  $w$ .

For the value of  $F$ , the notion of P-Level Efficient Points ( $p^{\text{LEP}}$ ) was used, and for the CP some hypotheses had been used in addition to the modified  $L$ -shaped method.

It must be mentioned that the limitations of the study by Ben Abdelaziz and Masri (2010) are the incomplete information in a linear way and the low value of the minimax solutions. They did not consider the situation where a feasible decision for the deterministic constraints did not satisfy the uncertainty constraints (i.e. deviation or shortage occurs). There are implicit loops of iterations in their solution algorithm when using  $L$ -shaped method. Finally, they did not consider fuzzy probability distributions and only depended on a CP approach to the MSLPI. In addition only maximum extreme points of  $P$  had been used. Also the probability distributions had been used on the maximum extreme points for the discrete events in the continuous interval of  $P$ .

#### 1.3.4 Deterministic Multiobjective Linear Programming Problem

In Deterministic Linear Programming (DLP) problems of the MFSLPPI; the following mixed deterministic multiobjectives Max/Min problem

$$\begin{aligned}
 \text{Max } E_{P \in \pi} Z_i &= E_{P \in \pi} \sum_{j=1}^n C_{ij}(w)x_j ; i = 1, \dots, r, \\
 \text{Min } E_{P \in \pi} Z_i &= E_{P \in \pi} \sum_{j=1}^n C_{ij}(w)x_j ; i = r + 1, \dots, s, \\
 \text{s.t. } P(L(w)x - l(w)) &\geq 0, \forall P \in \pi, \\
 x &\in X
 \end{aligned} \tag{1.23}$$

with conflict in the same constraints can be solved by using an appropriate technique to get an optimal solution for the original problem.

Sen (1983) provided a solution to this kind of problem when he obtained a single value corresponding to each of the objective functions being optimized individually, subjected to constraints as follows:

$$\text{Max } Z_i = \theta_i ; i = 1, \dots, r, \quad \text{Min } Z_i = \theta_i ; i = r + 1, \dots, s. \tag{1.24}$$

where  $\theta_i$ ,  $i = 1, \dots, r, r+1, \dots, s$  the decision variable may not necessarily be common to all optimal solutions in the presence of conflicts among objectives. But the common sets of decision variables among objective functions were necessary in order to select the best compromised solution. After that, he determined the common set of decision variables from the combined objective function formulated below:


$$\begin{aligned}
 \text{Max } Z &= \sum_{i=1}^r \frac{Z_i}{\theta_i} - \sum_{i=r+1}^s \frac{Z_i}{\theta_i} \\
 \text{s.t. } P(L(w)x - l(w)) &\geq 0 \geq \alpha, \forall P \in \pi, \\
 x &\in X \\
 \forall Z_i \text{ and } \theta_i > 0, i &= 1, \dots, r, r+1, \dots, s.
 \end{aligned} \tag{1.25}$$

This methodology was highly efficient in its application in operation research to get optimal solutions and was thus considered one of the most appropriate methods in finding solutions. However the author did not mention whether the values of the objective functions were or were not positives. Figure 1.1 presents the scenario leading to the problem considered in this study.

#### 1.4 Problem Statement

This study will focus on the development of an improved two-phase solution strategy of the MFSLPPFI. The phases are the defuzzification of the problem to its stochastic counterpart and the conversion of the stochastic problem to deterministic problem. Specifically we transform MFSLPPFI into its corresponding MSLPPFI through Fuzzy Trapezoidal Membership Function ( $FT_pMF$ ) on the Trapezoidal Fuzzy Numbers ( $T_pFNs$ ), then convert the resulting MSLPPFI into MLP problems through stochastic transformations via CCP approach in stochastic constraints, and using stochastic transformations in the objective functions by implementing expectation of the random events after employing the linguistic hedges of  $P$  to get the certain





**Figure 1.1** Scenario leading to the statement of the problem

probability distributions over intervals of  $P$ . In addition, an efficient solution method to the resulting deterministic problem will also be developed.

## 1.5 Research Questions

The problem statement raises several research challenges. These challenges will be addressed by providing answers to the following questions:

- (i)
  - How to address the fuzziness in the probability distribution?
  - What membership function to use?
- (ii)
  - How to convert the FSP problem to SP problem?
  - What fuzzy transformation technique to be used?
- (iii) How to convert the SP problem to deterministic problem?
  - What stochastic transformation technique to be used?
  - What to do if the deterministic constraints do not fully satisfy the uncertain constraints?
- (iv) How to solve the deterministic problem efficiently?
  - How to avoid the implicit loops in  $L$ -shaped method? ( The  $L$ -Shaped method is a decomposition method that is useful for solving problems that have the problem of a master problem and several sub problems represented by the side model, and it is an outer linearization procedure that approximates the convex objective term in the stochastic program by successively appending supporting hyper planes (Birge, 1988)).
  - What criteria should be considered in evaluating the performance of the proposed solution method?.

## 1.6 Research Objectives

The following are the objectives in dealing with MFSLPPFI:

- (i) To address the MFSLPPFI problem through membership function.
- (ii) To transform the MFSLPPFI problem into MSLPPFI problem by using the ranking function as the fuzzy transformation technique. To use linguistic hedges in the probability distribution.
- (iii) To transform the MSLPPFI problem into MLP problem by using the CCP Approach via fuzzy transformation in the probability distribution by using the  $\alpha$ -cut technique.
- (iv) To introduce recourse function in the stochastic transformation technique.
- (v) To find a pareto optimal solution for the deterministic MLP.
- (vi) To solve the deterministic MLP problem by using Big- $M$  method instead of  $L$ -Shaped method to avoid implicit loops in the solution algorithm. And using the cutting-plane method.
- (vii) To find a relation between the pareto optimal solution set and the compromise solution set, and compare between them.

## 1.7 Scope of the Study

This study focuses on the MFSLPPFI. Both objective function and constraints are in fuzzy stochastic forms. The solution of the original problem will be obtained from solving the associated deterministic problem.

## 1.8 Significance of the Study

This research focuses on developing the transformation techniques for the MFSLPPFI. The proposed techniques will convert the problem to deterministic problem which can be solved easily. The main contributions of this research on the advancement of knowledge are summarized as follows:


- (i) Development of a fuzzy transformation technique that transforms an MFSLPPFI into an MSLPPFI problem through a ranking function. This is proposed to soften the rigid requirements of the DM to considering the fuzziness and/or randomness of the DMs judgment in real life optimization problems when he/she dealing with the optimization problem by considering the fuzziness and/or the randomness in objectives, goals and constraints in the problem. Moreover, the DM would be able to use the ranking function as a defuzzifying tool to transform the MFSLPPFI problem into an MSLPPFI problem in various real life situations.
- (ii) Development of a stochastic transformation technique that transforms an MSLPPFI problem into an MLP problem using CCP approaches, Linguistic hedge and  $\alpha$ -cut technique. The stochastic technique allows the DM to consider the expectation optimization model, the variance minimization model, and the probability optimization model with optimistic/pessimistic values under partial uncertainty of the probability distribution for real life problems. In addition, the DM will be able to recognize the interval values of the probability distribution by dealing with these interval values as linguistic hedges via  $\alpha$ -cut technique on fuzzily imprecise variables with probabilistic uncertainty. Furthermore, the development of the stochastic transformation technique supports the DM to detail the form of the lower probability function for the stochastic constraints via the CCP approach. This will lead to the compromise function for the objective functions in the MSLPPFI problem.
- (iii) Introduction of a recourse function in the stochastic transformation technique to provide a feasible decision for deterministic constraints which do not satisfy the

uncertainty constraints. The significance of the recourse function approach is to provide a tool to help DM in industrial or productive optimization problems to create efficient models where continuous sufficient supplies of the raw materials and the basic resources for production are required.

- (iv) Development of an Adaptive Arithmetic Average Method (AAAM) which transforms an MLP problems into its corresponding SDLP problem, instead of using Sen's method and others we found those in literature review. Sen's method is restricted to positive values of objective functions only, whereas AAAM is more general since it is valid for all real numbers. In addition, this approach leads to the compromise solution in less iterations and elapsed time in the solution algorithm.
- (v) Development of pareto optimal solution to the deterministic MLP problems. Significantly, this solution finds the complete optimal solution as a compromise solution among conflicting objective functions in the MLP problems.
- (vi) Development of the cutting-plane method as the solution technique to the associated MLP problem. Significantly, the cutting-plane method is to help the DM to reduce the obtained solution as an optimum solution for the objectives at the extreme point of the feasible constraints in the optimization problem.

Figure 1.2 shows the significance of the study in the advancement of the knowledge.

Beside academic contributions, the work also has practical contributions. The work will be able to help solve real life and industrial problems which are usually complicated, uncertain and continuously subject to changes, by considering both the fuzziness and randomness in the formulation of the model. In addition, the proposed solution procedure will provide an efficient and fast approach to solution generation which is important when dealing with real life problems which usually involve many variables and need to obtain optimum solutions quickly. The findings of the study



**Figure 1.2** Summary of academic contributions

are believed to be able to have positive impacts on organization productivity and competitiveness in many industries.


## 1.9 Research Framework

Figure 1.3 and 1.4 shows the research framework and the relative knowledge areas related to each component of the MFSLPPFI. In what follows, some major components of the conceptual framework will be briefly described.

We consider MFSLPPFI and use ranking function technique to transform it into MSLPPFI. Then we use  $\alpha$ -cut technique to defuzzify the probability distribution from fuzzy assertion into deterministic form to get MSLP problems. After that, by utilizing linguistic hedges of the probability distribution through stochastic transformation, and in addition CCP approach, we convert MSLP problems into its corresponding MDLP problems.


An AAAM will be used to transform the resulted MDLP problems into its corresponding SDLP problem. The research uses Big- $M$  method to solve the SDLP problem. If the solution does not satisfy the uncertain constraints it should be penalized by using RA, and if it is not an extreme point of the feasible constraints, then cut-plane method should be used to introduce it as an extreme point of the feasible constraints.

We also find pareto optimal solution for the MDLP problems and comparing between it and the compromise solution.



**Figure 1.3** Conceptual framework: Part - I





**Figure 1.4** Conceptual framework: Part - II

## **1.10 Outline of the Thesis**

The organization of the thesis is as follows:

Chapter 1 provides the introduction to the study domain of this thesis that is MFSLPPFI. The chapter later discusses the background of the problem, statement of the problem, research objectives and contributions.

Chapter 2 provides the literature review of the study areas. Related background works on the study domain are also discussed here.

Chapter 3 provides research methodology where the research activities that will be carried out towards achieving the objectives of this research are presented.

Chapter 4 provides the development of the improved two-phase solution strategy for the MFSLPPFI.

Chapter 5 provides the applications to support the problem statements, research methodology and development of the improved two-phase solution strategy for the MFSLPPFI, through numerical examples.

Chapter 6 presents the results and conclusion of the present work, contributions and further works.

## REFERENCES

- Abbas, M. and Bellahcene, F. (2006). Cutting plane method for multiple objective stochastic integer linear programming. *European Journal of Operational Research*. 168(3): 967–984.
- Allahviranllo, T., Lotfi, F. H., Kiasary, M. K., Kiani, N. A. and Alizadeh, L. (2008). Solving full fuzzy linear programming problem by the ranking function. *Appl. Math. Sci.*. 2(1): 19–32.
- Amid, A., Ghodsypour, S. H. and O'Brien, C. (2006). Fuzzy multiobjective linear model for supplier selection in a supply chain. *Int.J.Production Economics*. 104(2): 394–407.
- Aouni, B. and Torre, D. L. (2010). A generalized stochastic goal programming model. *Applied Mathematics and Computation*. 215(12): 4347–4357.
- Aouni, S., Ben Abdelaziz, F. and Martel, J. M. (2005). Decision-makers Preferences Modeling in the Stochastic Goal Programming. *European Journal of Operational Research*. 162: 610–618.
- Arkin, V. I. and Evstigneev, I. V. (1987). *Stochastic Models of Control and Economic Dynamics*. London: Academic Press.
- Aubin, J. P. (1979). *Mathematical Methods of Game and Economic Theory*. North-Holland, Amsterdam: Springer.
- Azaron, A., Brown, K. N., Tarim, S. A. and Modarres, M. (2008). A multiobjective stochastic programming approach for supply chain design considering risk. *International Journal of Production Economics*. 116(1): 129–138.
- Bazaraa, M. S., Jarvis, J. J. and Sherali, H. D. (2005). *Linear Programming and Network Flows, third ed.* New York: John Wiley.
- Bector, C. R. and Chandra, S. (2002). On Duality in Linear Programming Under Fuzzy Environment. *Fuzzy Sets and Systems*. 125(3): 317–325.

- Bector, C. R. and Chandra, S. (2005a). *Fuzzy Mathematical Programming and Fuzzy Matrix Games, Studies in Fuzziness and Soft Computing*. Berlin, Germany: Springer.
- Bector, C. R. and Chandra, S. (2005b). *Fuzzy Mathematical Programming and Fuzzy Matrix Games. Studies in Fuzziness and Soft Computing*. Berlin Heidelberg: Springer.
- Bector, C. R., Chandra, S. and Vidyottama, V. (2004a). Duality in linear programming with fuzzy parameters and matrix games with fuzzy pay-offs. *Fuzzy Sets and Systems*. 146: 253–269.
- Bector, C. R., Chandra, S. and Vidyottama, V. (2004b). Matrix Games with Fuzzy Goals and Fuzzy Linear Programming Duality. *Fuzzy Optimization and Decision Making*. 3(3): 255–269.
- Bellman, R. F. and Zadeh, L. A. (1970). Decision making in fuzzy environment. *Manag.Sci.*. 17: 141–146.
- Ben Abdelaziz, F. (2012). Solution approaches for the multiobjective stochastic programming. *European Journal of Operational Research*. 216(1): 1–16.
- Ben Abdelaziz, F., Lang, P. and Nadeau, R. (1995). Theory and Methodology Distributional efficiency in multi-objective stochastic linear programming. *European Journal of Operational Research*. 85(2): 399–415.
- Ben Abdelaziz, F., Lang, P. and Nadeau, R. (1999). Dominance and efficiency in multicriteria decision under uncertainty. *Theory and Decision*. 47(3): 199–211.
- Ben Abdelaziz, F. and Masri, H. (2001). Application of goal programming in a multiobjective reservoir operation model in Tunisia. *European Journal of Operational Research*. 133(2): 352–361.
- Ben Abdelaziz, F. and Masri, H. (2005a). Stochastic programming with fuzzy linear partial information on probability distribution. *European Journal of Operational Research*. 162(3): 619–629.
- Ben Abdelaziz, F. and Masri, H. (2005b). Stochastic programming with fuzzy probability distribution. *European Journal of Operational Research*. 162(3): 619–629.

- Ben Abdelaziz, F. and Masri, H. (2010). A compromise solution for the multiobjective stochastic linear programming under partial uncertainty. *European Journal of Operational Research*. 202(1): 55–59.
- Bertocchi, G. and Kehagias, A. (1995). Efficiency and optimality in stochastic models with production. *Journal of Economic Dynamics and Control*. 19(1–2): 303–325.
- Bezdek, J. C. (1993). Fuzzy models - what are they, and why?. *IEEE Trans, Fuzzy Sys.*. 1(1): 1–9.
- Bialas, W. F. and Karwan, M. H. (1984). Two-level linear programming. *Manag. Sci.*. 30(8): 1004–1020.
- Biehl, M., Prater, E. and Realff, M. (2007). Assessing performance and uncertainty in developing carpet reverse logistics systems. *Computers and Operations Research*. 34(2): 443–463.
- Birge, J. R. (1988). *An L-shaped method computer code for multistage stochastic linear programs*, in: Y. Ermoliev, R.J.-B. Wets (Eds.), *Numerical Techniques for Stochastic Optimization Problems*. Berlin: Springer.
- Bitran, G. R. (1980). Linear multiobjective problems with interval co-efficient. *Management Science*. 26(7): 694–706.
- Buckley, J. J. (1983). Fuzzy programming and the Pareto optimal set. *Fuzzy Sets and Systems*. 10(1–3): 57–63.
- Buckley, J. J. and Feuring, T. (2000). Evolutionary Algorithm Solution to Fuzzy Problems. *Fuzzy Sets and Systems*. 109(1): 35–53.
- Bunn, D. W. and Paschentis, S. N. (1982). Linear programming with uncertain parameters: an applications review. *Computers in Industry*. 3(4): 283–296.
- Caballero, R., Cerdá, E., del M. Muñoz, M., Rey, L. and Minasian, S. (2001). Efficient solution concepts and their relations in stochastic multiobjective programming. *Journal of Optimization, Theory and Applications*. 110(1): 53–74.
- Cadenas, J. M. and Verdegay, J. L. (2000). Using ranking functions in multiobjective fuzzy linear programming. *Fuzzy Sets and Systems*. 111(1): 47–53.
- Campos, L. (1989). Fuzzy linear programming models to solve fuzzy matrix games. *Fuzzy Sets and Systems*. 32(3): 275–289.

- Campos, L. and Verdegay, J. L. (1989). Linear programming problems and ranking of fuzzy numbers. *Fuzzy Sets and Systems*. 32(1): 1–11.
- Chakraborty, S., Pal, M. and Nayak, P. K. (2013). Intuitionistic fuzzy optimization technique for Pareto optimal solution of manufacturing inventory models with shortages. *European Journal of Operational Research*. 228(2): 381–386.
- Chakraborty, D. (2002). Redefining chance-constrained programming in fuzzy environment. *Fuzzy Sets and Systems*. 125(3): 327–333.
- Chakraborty, D., Rao, K. R. and N.Tiwani, R. (1994). Interactive decision making in mixed fuzzy stochastic environment. *Operational Research*. 31: 89–107.
- Chanas, S. (1983). The use of parametric programming in fuzzy linear programming. *Fuzzy Sets and Systems*. 11(1–3): 229–241.
- Chanas, S. and Zielinski, P. (2000). On the equivalence of two optimization methods for fuzzy linear programming problems. *European Journal of Operational Research*. 121(1): 56–63.
- Chankong, V. and Haimes, Y. Y. (1983). *Multiobjective decision making: theory and methodology*. Amsterdam: North-Holland.
- Charles, V., Ansari, S. I. and Khalid, M. M. (2011). *Multiobjective stochastic linear programming with general form of distributions*. *International Journal of Operational Research and Optimization*. 2(2): 261–278.
- Charles, V., Udhayakumar, A. and Uthariaraj, R. V. (2010). An approach to find redundant objective function(s) and redundant constraint(s) in multi-objective nonlinear stochastic fractional programming problems. *European Journal of Operational Research*. 201(2): 390–398.
- Charnes, A. and Cooper, W. W. (1962). Programming with linear fractional function. *Naval Research Logistics Quarterly*. 9(3–4): 181–186.
- Charnes, A. and Cooper, W. W. (1963). Deterministic equivalents for optimizing and satisfying under chance constraints. *Operations Research*. 11: 18–39.
- Chen, C., Line, C. and Huang, S. (2006). A fuzzy approach for supplier evaluation and selection in supply chain management. *Int. J. Production Economics*. 102(2): 289–301.

- Chen, Z. L., Li, S. and Tirupati, D. (2002). A scenario based stochastic programming approach for technology and capacity planning. *Comput. Oper. Res.*, 29(7): 781–806.
- Chiang, J. (2001). Fuzzy linear programming based on statistical confidence interval and interval-valued fuzzy set. *European Journal of Operational Research*, 129(1): 65–86.
- Chou, S. Y., Lin, J. S. and Julian, P. (2009). A Note on "Solving Linear Programming Problems Under Fuzziness and Randomness Environment Using Attainment Values". *Information Sciences*, 179(32): 4083–4088.
- Cohon, J. L. (1978). *Multiobjective programming and planning*. New York: Academic Press.
- Contini, B. (1978). A stochastic approach to goal programming. *Oper. Res.*, 16(3): 576–586.
- Deb, K. and Sinha, A. (2009a). *Constructing test problems for bilevel evolutionary multiobjective optimization*. IEEE.
- Deb, K. and Sinha, A. (2010 ). An efficient and accurate solution methodology for bilevel multiobjective programming problems using a hybrid evolutionary local-search algorithm. *Evolutionary Computation*.. 18(3): 403–449.
- Deb, K. and Sinha, A. (2009b). An evolutionary approach for bilevel multiobjective problems. *Communications in Computer and Information Science*, 35: 17–24. Berlin Heidelberg: Springer.
- Deb, K. and Sinha, A. (2009c). *Solving bilevel multiobjective optimization problems using evolutionary algorithms*. Vol. 5467. Springer.
- Dehghan, M., Hashemi, B. and Ghatee, M. (2006). Computational methods for solving fully fuzzy linear system. *Appl. Math. Comput.*, 179(1): 328–343.
- Delgado, M., Verdegay, J. L. and Vila, M. A. (1989). A general model for fuzzy linear programming. *Fuzzy Sets and Systems*, 29(1): 21–29.
- Dempe, S. and Bard, J. (2001). Bundle trust-region algorithm for bilinear bilevel programming. *J Optim Theory Appl.* 110(2): 265–268.
- Dubois, D. and Prade, H. (1983). Ranking fuzzy numbers in the setting of possibility theory. *Information Sciences*, 30(3): 183–224.

- Dubois, D. and Prade, H. (1988). *Combining fuzzy imprecision with probabilistic uncertainty in decision making*. Technical Report. Verlag: Springer.
- Ebrahimnejad, A. (2011). Sensitivity Analysis in Fuzzy Number Linear Programming Problems. *Mathematical and Computer Modelling*. 53(9–10): 1878–1888.
- Ebrahimnejad, A. and Nasser, S. (2010). A Dual Simplex Method for Bounded Linear Programmes with Fuzzy Numbers. *International Journal of Mathematics in Operational Research*. 2(6): 762–779.
- Ebrahimnejad, A., Nasser, S., Lotfi, F. H. and Soltanifar, M. (2010). A Primal-dual Method for Linear Programming Problems with Fuzzy Variables. *European Journal of Industrial Engineering*. 4(2): 189209.
- Ebrahimnejad, A., Nasser, S. and Mansourzadeh, S. M. (2011). Bounded Primal Simplex Algorithm for Bounded Linear Programming with Fuzzy Cost Coefficients. *International Journal of Operations Research and Information Systems*. 2(1): 100–124.
- Fampa, M., Barroso, L., Candal, D. and Simonetti, L. (2008). Bilevel optimization applied to strategic pricing in competitive electricity markets. *Comput. Optim. Appl.*. 39(2): 121–142.
- Fang, S. C. and Hu, C. F. (1996). Linear programming with fuzzy coefficients in constraints. *Comput. Math. Appl.*. 37(10): 63–76.
- Fortemps, P. and Roubens, M. (1996). Ranking and defuzzification methods based on area compensation. *Fuzzy Sets Systems*. 82(3): 319–330.
- Galperin, E. A. (2004). Balance set and Pareto solutions in linear spaces with application to ongoing optimal resource allocation investment planning, production, and control problems with multiple objectives. *Mathematical and Computer Modelling*. 40(1–2): 137–149.
- Ganesan, K. and Veeramani, P. (2006). Fuzzy linear programming with trapezoidal fuzzy numbers. *Ann. Oper. Res.* 143(1): 305–315.
- Gao, Y., Zhang, G. and Lu, J. (2008). A particle swarm optimization based algorithm for fuzzy bilevel decision making. *IEEE International Conference on Fuzzy Systems* 4630563. 1452–1457.



- Garcia-Aguado, C. and Verdegay, J. L. (1993). On the sensitivity of membership functions for fuzzy linear programming problems. *Fuzzy Sets and Systems*. 56(1): 47–49.
- Gil, M. A., Lopez-Diaz, M. and Ralescu, D. A. (2006). Overview on the development of fuzzy random variables. *Fuzzy Sets and Systems*. 157(19): 2546–2557.
- Goh, M., S., J. Y. and Meng, F. (2007). A stochastic model for risk management in global supply chain networks. *European Journal of Operational Research*. 182(1): 164–173.
- Goicoechea, A., Hansen, D. R. and Duckstein, L. (1982). *Multiobjective decision analysis with engineering and business applications*. New York: John Wiley and Sons.
- Haimes, Y. Y., Hall, W. A. and Freedman, H. T. (1975). *Multiobjective optimization in water resources systems: the surrogate worth trade-off method*. Amsterdam: Elsevier.
- Hajkowicz, S. and Collins, K. (2007). A review of multiple criteria analysis for water resource planning and management. *Water Resources Management*. 21(9): 1553–1566.
- Hajkowicz, S. and Higgins, A. (2008). A comparison of multiple criteria analysis techniques for water resource management. *European Journal of Operational Research*. 184(1): 255–265.
- Haneveld, W. K. K. and Vlerk, M. H. V. D. (1999). Stochastic integer programming: General models and algorithms. *Annals of Operations Research*. 85(1-2): 39–57.
- Hashemi, S., Nasrabadi, M. M. E. and Nasrabadi, M. (2006). Fully fuzzified linear programming, solution and duality. *J. Intell. Fuzzy Syst.* 17(3): 253–261.
- Haven, E. (2005). The financial relevance of fuzzy stochastic dominance: a brief note. *Fuzzy Sets and Systems*. 152(3): 467–473.
- Hirota, K. (1981). Concepts of probabilistic sets. *Fuzzy Sets and Systems*. 5: 31–46.
- Ho, W., Xu, X. and Dey, P. (2010). Multi-criteria decision making approaches for supplier evaluation and selection: A literature review. *European Journal of Operational Research*. 202(1): 16–24.

- Hop, N. V. (2007a). Fuzzy stochastic goal programming problems. *European Journal of Operational Research*. 176(1): 77–86.
- Hop, N. V. (2007b). Solving fuzzy(stochastic) linear programming problems using superiority and inferiority measures. *Information Sciences*. 177(9): 1977–1991.
- Hop, N. V. (2007c). Solving linear programming problems under fuzziness and randomness environment using attainment values. *Information Sciences*. 177(14): 2971–2984.
- Hulsurkar, S., Biswal, M. P. and Sinha, S. B. (1997). Fuzzy programming approach to multi-objective stochastic linear programming problems. *Fuzzy Sets and Systems*. 88(2): 173–181.
- Hwang, C. L. and Masud, A. S. M. (1979). *Multiple objective decision making: methods and applications*. Berlin: Springer-Verlag.
- Inuiguchi, M. and Ramik, J. (2000). Possibilistic linear programming: a brief review of fuzzy mathematical programming and a comparison with stochastic programming in portfolio selection. *Fuzzy Sets and Systems*. 111(1): 3–28.
- Inuiguchi, M., Ramik, T., Tanino, T. and Vlach, M. (2003). Satisficing solutions and duality in interval and fuzzy linear programming. *Fuzzy Sets and Systems*. 135(1): 151–177.
- Iskander, M. G. (2001). On solving stochastic fuzzy goal programming problem using a suggested interactive approach. *The Journal of Fuzzy Mathematics*. 9(2): 437–446.
- Iskander, M. G. (2002). Comparison of fuzzy numbers using possibility programming: comments and new concepts. *Computers and Mathematics with Applications*. 43(6–7): 833–840.
- Iskander, M. G. (2003). Using different dominance criteria in stochastic fuzzy linear multiobjective programming: a case of fuzzy weighted objective function. *Mathematical and Computer Modeling*. 37(1–2): 167–176.
- Iskander, M. G. (2004a). A fuzzy weighted additive approach for stochastic fuzzy goal programming. *Applied mathematics and computation*. 154(2): 543–553.

- Iskander, M. G. (2004b). A possibility programming approach for stochastic fuzzy multiobjective linear fractional programs. *Computers and Mathematics with Applications*. 48(10–11): 1603–1609.
- Iskander, M. G. (2005). A suggested approach for possibility and necessity dominance indices in stochastic fuzzy linear programming. *Applied Mathematics Letters*. 18(4): 395–399.
- Iskander, M. G. (2008). A computational comparison between two evaluation criteria in fuzzy multiobjective linear programs using possibility programming. *Computers and Mathematics with Applications*. 55(11): 2506–2511.
- Jamison, K. D. and Lodwick, W. A. (2001). Fuzzy linear programming using a penalty method. *Fuzzy Sets and Systems*. 119(1): 97–110.
- Jiménez, M. and Bilbao, A. (2009). Pareto-optimal solutions in fuzzy multi-objective linear programming. *Fuzzy Sets and Systems*. 160(18): 2714 – 2721.
- Jones, A., Kaufmann, A. and Zimmermann, H.-J. (1986). *Fuzzy sets theory and application*. Dordrecht, Holland: D. Reidel Publishing Company.
- Kall, P. (1976). *Stochastic Linear Programming*. Springer-Verlag.
- Kara, S. S. and Onut, S. (2010). A two-stage stochastic and robust programming approach to strategic planning of a reverse supply network: The case of paper recycling. *Expert Systems with Applications*. 37(9): 6129–6137.
- Katagiri, H. and Ishii, H. (2000). Linear programming problem under fuzziness and randomness. *Proceedings of International Conference on Applied Stochastic System Modeling*. 97–106.
- Katagiri, H., Ishii, H. and Sakawa, M. (2004a). On fuzzy random linear knapsack problems. *Central Eur J Oper Res*. 12: 59–70.
- Katagiri, H., Kato, K. and Sawaka, M. (2003a). An interactive satisficing method based on the fractile optimization model using possibility and necessity measure for fuzzy random multiobjective linear programming problem, in: proceedings of the Asia Pacific. *Management Conference*. 1: 795–802.
- Katagiri, H. and Sakawa, M. (2011). Interactive multiobjective fuzzy random programming through the level set-based probability model. *Information Sciences*. 181(9): 1641–1650.

- Katagiri, H., Sakawa, M. and Ishii, H. (2004b). Fuzzy random bottleneck spanning tree problems using possibility and necessity measures. *European J. Oper.Res.* 152(1): 88–95.
- Katagiri, H., Sakawa, M. and Ishii, H. (2005a). A study on fuzzy random portfolio selection problems using possibility and necessity measures. *Sci. Math.Jpn.* 61(2): 361–369.
- Katagiri, H., Sakawa, M., Kato, K. and Nishizaki, I. (2004c). A fuzzy random multiobjective 0-1 programming based on the expectation optimization model using possibility and necessity measures. *Mathematical and Computer Modelling*. 40(3–4): 411–421.
- Katagiri, H., Sakawa, M., Kato, K. and Nishizaki, I. (2008a). Interactive multiobjective fuzzy random linear programming: maximization of possibility and probability. *European Journal of Operational Research*. 188(2): 530–539.
- Katagiri, H., Sakawa, M., Kato, K. and S.Ohsaki (2005b). An interactive fuzzy satisficing method based on the fractile optimization model using possibility and necessity measures for a fuzzy random multi-objective linear programming problem. *Electronics and Communications in Japan, Part III: Fundamental Electronic Science (English translation of Denshi Tsushin Gakkai Ronbunshi)*. 88(5): 20–28.
- Katagiri, H., Sakawa, M., Kato, M. and Nishizaki, I. (2008b). Interactive multiobjective fuzzy random linear programming: maximization of possibility and probability. *European Journal of Operational Research*. 188: 530–539.
- Katagiri, H., Sakawa, M. and Nishizaki, I. (2006). Interactive decision making using possibility and necessity measures for fuzzy random multiobjective 0-1 programming problem. *Cybern Syst.* 37(1): 59–74.
- Katagiri, H., Sawaka, M. and Ishii, H. (2001). Multiobjective fuzzy random linear programming using e-model and possibility measure. *Proceedings of Joint Ninth IFSA and World Congress and 20th NAFIPS International Conference*. 2295–2300.
- Katagiri, H., Sawaka, M. and Ohsaki, S. (2003b). *An interactive satisficing method through the variance minimization model for fuzzy random multiobjective*

- linear programming problems*, in: T. Tanino, T. Tamaki, M. Inuiguchi (Eds.), *multiobjective programming and goal programming: theory and applications (advances in soft computing)*. Springer-Verlag.
- Kato, K. and Sakawa, M. (2011). An interactive fuzzy satisficing method based on variance minimization under expectation constraints for multiobjective stochastic linear programming problems. *Soft Computing*. 15(1): 131–138.
- Kato, K., Sakawa, M., Katagiri, H. and Perkgoz, C. (2010). An interactive fuzzy satisficing method based on fractile criterion optimization for multiobjective stochastic integer programming problems. *Expert Systems with Applications*. 37(8): 6012–6017.
- Kaufmann, A. and Gupta, M. M. (1988). *Fuzzy Mathematical Models in Engineering and Management Science*. Amsterdam: Elsevier Science.
- Kumar, A., Kaur, J. and Singh, P. (2011). A new method for solving fully fuzzy linear programming problems. *Appl. Math. Model.*. 35(2): 817–823.
- Lai, Y. J. and Hwaang, C. L. (1992). *Fuzzy mathematical programming methods and applications*. Berlin: Springer.
- Laumanns, M. and Zenklusen, R. (2011). Stochastic convergence of random search methods to fixed size Pareto front approximations. *European Journal of Operational Research*. 213(2): 414–421.
- Leclercq, J. P. (1982). Stochastic programming: an interactive multi-criteria approach. *Eur. J. Oper. Res.*. 10(1): 33–41.
- Li, J., Xu, J. and Gen, M. (2006a). A class of multiobjective linear programming model with fuzzy random coefficients. *Mathematical and Computer Modelling*. 44(11–12): 1097–1113.
- Li, Y., Huang, G. H., Nie, S. L. and Liu, L. (2008). Inexact multistage stochastic integer programming for water resources management under uncertainty. *Journal of Environmental Management*. 88(1): 93–107.
- Li, Y. P., Huang, G. H. and Nie, S. L. (2006b). An interval parameter multistage stochastic programming model for water resources management under uncertainty. *Advances in Water Resources*. 29(5): 776–789.

- Liao, Z. and Rittscher, J. (2007). A multiobjective supplier selection model under stochastic demand conditions. *International Journal of Production Economics*. 105(1): 150–159.
- Lindroth, P., Patriksson, M. and A.Strömberg (2010). Approximating the Pareto optimal set using a reduced set of objective functions. *European Journal of Operational Research*. 207(3): 1519–1534.
- Liu, B. (2001a). Fuzzy random chance constrained programming. *IEEE Transaction on Fuzzy Systems*. 9(5): 713–720.
- Liu, B. (2001b). Fuzzy random dependent chance programming. *IEEE Transaction on Fuzzy Systems*. 9(5): 721–726.
- Liu, B. (2003). Fuzzy random variables: a scalar expected value operator. *Fuzz Optimization and Decision Making*. 2(2): 143–160.
- Liu, B. (2002). Random fuzzy dependent-chance programming and its hybrid intelligent algorithm. *Information Sciences*. 141(3–4): 259–271.
- Liu, B. and Liu, Y. K. (2002). Expected value of fuzzy variable and fuzzy expected value models. *IEEE Transactions on Fuzzy Systems*. 10(4): 445–450.
- Liu, Y. K. and Liu, B. (2003). A class of fuzzy random optimization: expected value models. *Information Sciences*. 155(1–2): 89–102.
- Lonardo, P., Anghinolfi, D., Paolucci, M. and Tonelli, F. (2008). A stochastic linear programming approach for service parts optimization. *CIRP Annals Manufacturing Technology*. 57(1): 441–444.
- Lotfi, F. H., Allahviranloo, T., Jondabeh, M. A. and Alizadeh, L. (2009). Solving A Full Fuzzy Linear Programming Using Lexicography Method and Fuzzy Approximate Solution. *Applied Mathematical Modelling*. 33(7): 3151–3156.
- Luhandjula, H. C. (2004). Optimization under hybrid uncertainty. *Fuzzy Optimization and Decision Making*. 146(2): 187–203.
- Luhandjula, M. K. (1983). Linear programming under randomness and fuzziness. *Fuzzy Sets*. 10(1–3): 45–55.
- Luhandjula, M. K. (1996). Fuzziness and randomness in an optimization framework. *Fuzzy Sets and System*. 77(3): 291–297.

- Luhandjula, M. K. (2006). Fuzzy stochastic linear programming: survey and future research directions. *European Journal of Operational Research*. 174(3): 1353–1367.
- Luhandjula, M. K., Djungu, A. and Kasoro, N. M. (1997). On fuzzy probabilistic linear programming. *Ann. Fac. Sci, Univ. Kinshasa*. 3: 45–60.
- Luhandjula, M. K. and Gupta, M. M. (1996). On fuzzy stochastic optimization. *Fuzzy Sets and System*. 81(1): 47–55.
- Luhandjula, M. K. and Joubert, J. B. (2010). On some optimization models in a fuzzy-stochastic environment. *European Journal of Operational Research*. 207(3): 1433–1441.
- Ma, M., Kandel, A. and Friedman, M. (2000). A new approach for defuzzification. *Set Syst.* 111(3): 351–356.
- Mahdavi-Amiri, N. and Nasser, S. H. (2006). Duality in fuzzy number linear programming by use of a certain linear ranking function. *Applied Mathematics and Computation*. 180(1): 206216.
- Mahdavi-Amiri, N. and Nasser, S. H. (2007). Duality Results and A Dual Simplex Method for Linear Programming Problems with Trapezoidal Fuzzy Variables. *Fuzzy Sets and Systems*. 158(17): 1961–1978.
- Mahdavi-Amiri, N., Nasser, S. H. and Yazdani, A. (2009). Fuzzy Primal Simplex Algorithms for Solving Fuzzy Linear Programming Problems. *Iranian Journal of Operations Research*. 1(2): 68–84.
- Maleki, H. R. (2002). Ranking functions and their applications to fuzzy linear programming. *Far East J. Math. Sci. (FJMS)*. 4(3): 283–301.
- Maleki, H. R., Tata, M. and Mashinchi, M. (2000). Linear programming with fuzzy variables. *Fuzzy Sets and Systems*. 109(1): 21–33.
- March, J. G. and Simon, H. A. (1958). *Otimizations*. New York: Wiley.
- Mishmast Nehi, H., Maleki, H. R. and Mashinchi, M. (2002). Multiobjective linear programming with fuzzy variables. *Far East J. Math. Sci. (FJMS)*. 5: 155–172.
- Mishmast Nehi, H., Maleki, H. R. and Mashinchi, M. (2004). Solving fuzzy number linear programming problem by lexicographic ranking function. *Italian J. Pure Appl. Math.* 15: 9–20.

- Mohan, C. and Nguyen, H. T. (2001). An interactive satisficing method for solving multiobjective mixed fuzzy stochastic programming problems. *Fuzzy Sets and Systems*. 117(1): 61–79.
- Muñoz, M. M., Luque, M. and Ruiz, F. (2010). INTEREST: a reference-point-based interactive procedure for stochastic multiobjective programming problems. *OR Spectrum: Springer*. 32(1): 195–210.
- Muñoz, M. M. and Ruiz, F. (2009). ISTMO: An Interval Reference Point-based Method for Stochastic Multiobjective Programming Problems. *European Journal of Operational Research*. 197(1): 25–35.
- Nasseri, S. H., Ardil, E., Yazdani, A. and Zaefarian, R. (2005). Simplex method for solving linear programming problem with fuzzy number. *Proc. World Acad. Sci. Eng. Technol.*. 10: 284–288.
- Nasseri, S. H. and Ebrahimnejad, A. (2010a). Fuzzy Dual Simplex Method for Fuzzy Number Linear Programming Problem. *Advances in Fuzzy Sets and Systems*. 5(2): 81–95.
- Nasseri, S. H. and Ebrahimnejad, A. (2010b). A fuzzy primal simplex algorithm and its application for solving flexible linear programming problems. *European Journal of Industrial Engineering*. 5(3): 372–389.
- Nasseri, S. H., Ebrahimnejad, A. and Mizuno, S. (2010). Duality in Fuzzy Linear Programming with Symmetric Trapezoidal Numbers. *Applications and Applied Mathematics*. 5(10): 1467–1482.
- Nasseri, S. H. and Mahdavi-Amiri (2009). Some duality results on linear programming with symmetric fuzzy numbers. *Fuzzy information and Engineering*. 1(1): 59–66.
- Negi, D. S. and Lee, E. S. (1993). Possibility programming by the comparison of fuzzy numbers. *Computers and Mathematics with Application*. 25(9): 43–50.
- Nijkamp, P. (1979). *Multidimensional spatial data and decision analysis*. Chichester: John Wiley and Sons.
- Nishizaki, I. and Sakawa, M. (2001). *Fuzzy and multiobjective games for conflict resolution*. Germany: Springer.



- Novak, D. C. and Ragsdale, C. T. (2003). A decision support methodology for stochastic multi-criteria linear programming using spreadsheets. *Decision Support Systems*. 36(1): 99–116.
- Ohtsubo, Y. (1997). Multi-objective stopping problem for a monotone case. *Mem. Fac. Sci. Kochi Univ. Ser. A* 18: 99–104.
- Qiu, D. and Shu, L. (2008). Supremum metric on the space of fuzzy sets and common fixed point theorems for fuzzy mapping. *Information Sciences*. 178(18): 3595–3604.
- Ramik, J. (2003). Duality in Fuzzy Linear Programming Based on Fuzzy Relations, in: Proc. of 10th IFSAWorld Congress, June 29–July 2.. *Istanbul Turkey*. 4: 1–10.
- Ramik, J. (2005). Duality in Fuzzy Linear Programming: Some New Concepts and Results. *Fuzzy Optim. and Decision Making*. 4(1): 25–39.
- Rommelfanger, H. (2004). The advantages of fuzzy optimization models in practical use. *Fuzzy Optim. Decision Making*. 3(4): 295–309.
- Rommelfanger, H. (2007). A general concept for solving linear multicriteria programming problems with crisp, fuzzy or stochastic values. *Fuzzy Sets and Systems*. 158(17): 1892–1904.
- Roubens, M. and Jacques, T. J. (1991). Comparison of methodologies for fuzzy and stochastic multi-objective programming. *Fuzzy Sets and Systems*. 42(1): 119–132.
- Sakawa, M. (1993). *Fuzzy sets and interactive multiobjective optimization*. New York: Plenum Press.
- Sakawa, M., Katagiri, H. and Matsui, T. (2012a). Fuzzy random bilevel linear programming through expectation optimization using possibility and necessity. *Int. J. Mach. Learn and Cyber*. 3(3): 183–192.
- Sakawa, M., Katagiri, H. and Matsui, T. (2012b). Stackelberg solutions for fuzzy random two-level linear programming through probability maximization with possibility. *Fuzzy Sets and Systems*. 188(1): 45–57.
- Sakawa, M. and Kato, K. (2009a). *Fuzzy random noncooperative two-level linear programming through absolute deviation minimization using possibility and*

- necessity*. Technical Report. International Institute for Applied Systems Analysis (IIASA), Interim Report IR-09-021.
- Sakawa, M. and Kato, K. (2009b). *Interactive fuzzy programming for stochastic two-level linear programming problems through probability maximization*. Technical Report. International Institute for Applied Systems Analysis (IIASA), Interim Report IR-09-013.
- Sakawa, M. and Kato, K. (2009c). *Interactive fuzzy random two-level linear programming through fractile criterion optimization*. Technical Report. International Institute for Applied Systems Analysis (IIASA), Interim Report IR-09-020.
- Sakawa, M., Kato, K. and I.Nishizaki (2003). An interactive fuzzy satisficing method for multiobjective stochastic linear programming problems through an expectation model. *European Journal of Operational Research*. 145(3): 665–672.
- Sakawa, M., Kato, K. and Katagiri, H. (2004). An interactive fuzzy satisficing method for multiobjective linear programming problems with random variable coefficients through a probability maximization model. *Fuzzy Sets and Systems*. 146(2): 205–220.
- Sakawa, M., Kato, K., Nishizaki, I. and Yoshida, M. (2000a). Interactive decision making for fuzzy multiobjective linear programming problems involving random variable coefficients. *Proc. of The Fourth Asian Fuzzy Systems Symp.* 1: 392–397.
- Sakawa, M., Nishizaki, I. and Uemura, Y. (2000b). Interactive fuzzy programming for multi-level linear programming problems with fuzzy parameters. *Fuzzy Sets and Systems*. 109(1): 3–19.
- Sen, C. (1983). A new approach objective planning. *The Indian Economic Journal*. 30(4): 91–96.
- Seo, F. and Sakawa, M. (1988). *Multiple criteria decision analysis in regional planning: concepts, methods and applications*. Dordrecht, Holland: D. Reidel Publishing Company.
- Sharma, S. D. (2012). *Operations Research*. Delhi, India: Kedar Nath Ram Nath: Meerut.

- Shoacheng, T. (1994). Interval number and fuzzy number linear programming. *Fuzzy Sets and Systems*. 66(3): 301–310.
- Shukla, P. K. and Deb, K. (2007). On finding multiple Pareto-optimal solutions using classical and evolutionary generating methods. *European Journal of Operational Research*. 181(3): 1630–1652.
- Sinha, S. (2003). Fuzzy programming approach to multi-level programming problems. *Fuzzy Sets and Systems*. 136(2): 189–202.
- Sinha, S. and Sinha, S. B. (2002). KKT transformation approach for multiobjective multi-level linear programming problems. *European Journal of Operational Research*. 143(1): 19–31.
- Srinath, S. L. (1975). *Linear Programming*. New Delhi, India: East-West Press PVT. LTD.
- Stanculescu, C., Fortemps, P., M. Installé and Wertz, V. (2003). Multiobjective fuzzy linear programming problems with fuzzy decision variables. *European Journal of Operational Research*. 149(3): 654–675.
- Stancu-Minasian, I. M. (1984). *Stochastic Programming with Multiple Objective Functions*. Dordrecht: D. Reidel Publishing Company.
- Stancu-Minasian, I. M. and Wets, M. J. B. (1976). A Research Bibliography in Stochastic Programming. *Oper. Res.*. 24(6): 1078–1119.
- Steuer, R. E. (1986). *Multiple criterion optimization: theory, computation, and application*. New York: John Wiley and Sons.
- Suga, K., Kato, S. and Hiyama, K. (2010). Structural analysis of Pareto-optimal solution sets for multi-objective optimization: An application to outer window design problems using Multiple Objective Genetic Algorithms. *Building and Environment*. 45(5): 1144–1152.
- Taha, H. A. (1976). *Operations research*. New York, U.S.A.: Macmillan Co.
- Tanaka, H., Okuda, T. and Asai, K. (1973). On fuzzy mathematical programming. *J. Cybernet*. 3(4): 37–47.
- Teghem, J. J., Dufrance, D., Thauvoye, M. and Kunsch, P. (1986). Strange: an interactive method for multi-objective linear programming under uncertainty. *European Journal of Operational Research*. 26(1): 65–82.

- Thangaraj, R., Pant, M., Bouvry, P. and Abraham, A. (2010). *Solving multi objective stochastic programming problems using differential evolution*. Technical Report. Springer. 6466: 54–61.
- Toyonaga, T., Itoh, T. and Ishii, H. (2005). A crop planning problem with fuzzy random profit coefficients. *Fuzzy Optim. Decision Making*. 4(1): 51–69.
- Tran, L. and Duckstein, L. (2002). Comparison of fuzzy numbers using a fuzzy distance measure. *Fuzzy Sets and System*. 130(3): 331–341.
- Ullah Khan, I., Ahmad, T. and Maan, N. (2010). A two phase approach for solving linear programming problems by using fuzzy trapezoidal membership functions. *International Journal of Basic & Applied Sciences*. 6: 86–95.
- Ullah Khan, I., Ahmad, T. and Maan, N. (2013). A simplified novel Technique for solving fully fuzzy linear programming problems. *Journal of Optimization Theory and Applications*. 159(2): 536–546.
- Urli, B. and Nadeau, R. (1990). Stochastic MOLP with incomplete information: An interactive approach with recourse. *Journal Operational Research Society*. 41(12): 1143–1152.
- Urli, B. and Nadeau, R. (2004). PROMISE/Scenarios: An interactive method for multiobjective stochastic linear programming under partial uncertainty. *European Journal of Operational Research*. 155(2): 361–372.
- Verdegay, J. L. (1984). A dual approach to solve the fuzzy linear programming problems. *Fuzzy Sets and System*. 14(2): 131–141.
- Wagner, H. (1975). *Principles of operation research*, 2<sup>nd</sup> Englewood Cliffs: New Jersey: Prentice Hall.
- Wang, L.-X. (1997). *A course in fuzzy systems and control*. U.S.A.: Prentice-Hall, Inc.
- Wang, X. and Kerre, E. (2001a). Reasonable properties for the ordinary of fuzzy quantities (I). *Fuzzy Sets and Systems*. 118(3): 375–385.
- Wang, X. and Kerre, E. (2001b). Reasonable properties for the ordinary of fuzzy quantities (II). *Fuzzy Sets and Systems*. 118(3): 387–405.
- Wang, X. M., Qin, Z. L. and Hu, Y. D. (2001). An interactive algorithm for multicriteria decision making: the attainable reference point method. *IEEE Trans. Syst. Man Cybernet. A: Syst. Humans*. 31(3): 194–198.

- Wierzbicki, A. P. (1979). *The use of reference objectives in multiobjective optimization theoretical implications and practical experiences*. Laxenburg, Austria: WP-79-66, International Institute for Applied Systems Analysis.
- Winston, W. L. (1995). *Introduction to mathematical programming: application and algorithms*. U.S.A: Belmont, California: International Thomson Publishing.
- Wu, H. (2008a). Optimality conditions for linear programming problems with fuzzy coefficients. *Computers and Mathematics with Applications*. 55(12): 2807–2822.
- Wu, H. C. (2003). Duality theory in fuzzy linear programming problems with fuzzy coefficients. *Fuzzy Optimization and Decision Making*. 2(1): 61–73.
- Wu, H. C. (2008b). Using the technique of scalarization to solve the multiobjective programming problems with fuzzy coefficients. *Mathematical and Computer Modelling*. 48(1–2): 232–248.
- Xu, J., Liu, Q. and R.Wang (2008). A class of multiobjective supply chain networks optimal model under random fuzzy environment and its application to the industry of Chinese liquor. *Information Sciences*. 178(8): 2022–2043.
- Xu, J. and Liu, Y. (2008). Multiobjective decision making model under fuzzy random environment and its Application to inventory problems. *Information Sciences*. 178(14): 2899–2914.
- Xu, Z. and Chen, J. (2007). An interactive method for fuzzy multiple attribute group decision making. *Inform.Sci.*. 177(1): 248–263.
- Yager, R. R. (1981). A procedure for ordering fuzzy subsets of the unit interval. *Inform. Sci.*. 24(2): 143–161.
- Yager, R. R. and Filev, D. P. (1994). *Essentials of fuzzy modeling and control*. U.S.A.: John Wiley and Sons, Inc.
- Yao, J. S. and Wu, K. (2000). Ranking fuzzy numbers based on decomposition principle and signed distance. *Fuzzy Sets and Systems*. 116(2): 275–288.
- Yoshida, Y. (2003). A multiobjective fuzzy stopping in a stochastic and fuzzy environment. *Computers and Mathematics with Applications*. 46(7): 1165–1172.
- Yoshida, Y., Yasuda, M., Nakagami, J. and Kurano, M. (2000). Optimal stopping problems in a stochastic and fuzzy system. *J. Math. Anal. and Appl.*. 246(1): 135–149.

- Zadeh, L. A. (1965). Fuzzy Sets. *Information and Controls*. 8(3): 338–353.
- Zadeh, L. A. (1968). Fuzzy algorithms. *Information and Control*. 12(2): 94–102.
- Zeleny, M. (1982). *Multiple Criteria Decision Making*. New York: McGraw-Hill.
- Zhang, X., Huang, G. H., Chan, C. W., Liu, Z. and Lin, Q. (2010). A fuzzy-robust stochastic multiobjective programming approach for petroleum waste management planning. *Applied Mathematical Modeling*. 34(10): 2778–2788.
- Zhao, H. (2007). A multi-objective genetic programming approach to developing Pareto optimal decision trees. *Decision Support Systems*. 43(3): 809–826.
- Zhong, O., Yue, Z. and Guangyuan, W. (1994). On fuzzy random linear programming. *Fuzzy Sets and Systems*. 65(1): 31–49.
- Zimmermann, H. J. (1976). Description and optimization of fuzzy systems. *International Journal of General Systems*. 2(1): 209–215.
- Zimmermann, H. J. (1978). Fuzzy programming and linear programming with several objective functions. *Fuzzy Sets and Systems*. 1(1): 45–55.
- Zimmermann, H. J. (1983). Fuzzy mathematical programming. *Computers and Operations Research*. 10(4): 291–298.
- Zmeškel, Z. (2005a). Value at risk methodology of international index portfolio under soft conditions (fuzzy-stochastic approach). *International Review of Financial Analysis*. 14(2): 263 – 275.
- Zmeškel, Z. (2005b). Value at risk methodology under soft conditions approach (fuzzy-stochastic approach). *European Journal of Operational Research*. 161(2): 337–347.